



Insulated Metal Panel Pricing Guide





Panels

CF Architectural	2
CF Architectural/Horizontal	4
Mesa	9
Flute	11
Santa Fe®	13
Striated	15
7.2 Insul-Rib™	17
Thermalsafe®	19
CF45 Partition Wall	21
HPCI Barrier™	23
Tuff-Cast™/Tuff Wall®	25
CFR	27
LS-36™	33


Accessories

Clips	38
Valley Support Plate and Hip Support Plate	40
Angle	40
Closures	41
Sealants	42
Touch-up Paint	45
Endlap Assembly	45
Clamps	46
Hand Crimper	46
Horizontal Wall Accessories	47
Interior Ceiling Accessories	49
Standard Fasteners	52
Concealed Fasteners	54
LS-36™ Panel Wall Fasteners	58
LS-36™ Panel Roof Fasteners	59
CFR Fasteners	59
Windows	62

Trim

Concealed Wall Trim	63
LS-36™ Panel Wall Trim	73
LS-36™ Panel Roof Trim	78
CFR Roof Trim	83
Horizontal Wall Extrusions	89

CF Architectural (Vertical Applications)




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
22	26	24"	2"	279#	Signature® 300 *	✓
22	26	24"	2 1/2"	289#	Signature® 300 *	✓
22	26	24"	3"	300#	Signature® 300 *	✓
22	26	24"	4"	320#	Signature® 300 *	✓
22	26	30"	2"	271#	Signature® 300 *	✓
22	26	30"	2 1/2"	281#	Signature® 300 *	✓
22	26	30"	3"	292#	Signature® 300 *	✓
22	26	30"	4"	312#	Signature® 300 *	✓
22	26	36"	2"	266#	Signature® 300 *	✓
22	26	36"	2 1/2"	276#	Signature® 300 *	✓
22	26	36"	3"	287#	Signature® 300 *	✓
22	26	36"	4"	307#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF Architectural (Vertical Applications)



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim.
5. Pricing does not include factory applied vapor seal mastic. See Note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square per panel side to upgrade the panel interior from 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove for 24", 30" or 36" wide panels.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 32'-0"Please Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'Please Inquire
3. Stucco embossing is standard on both interior and exterior panel skins. Please inquire for unembossed panel pricing. **Unembossed panels are limited to 20' maximum length.**
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX; Mattoon, IL; Jackson, MS

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

CF Architectural (Horizontal Applications)




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
22	26	24"	2"	279#	Signature® 300 *	✓
22	26	24"	2 1/2"	289#	Signature® 300 *	✓
22	26	24"	3"	300#	Signature® 300 *	✓
22	26	30"	2"	271#	Signature® 300 *	✓
22	26	30"	2 1/2"	281#	Signature® 300 *	✓
22	26	30"	3"	292#	Signature® 300 *	✓
22	26	36"	2"	266#	Signature® 300 *	✓
22	26	36"	2 1/2"	276#	Signature® 300 *	✓
22	26	36"	3"	287#	Signature® 300 *	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF Architectural (Horizontal Applications)



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. Panels are available with reveals of $\frac{1}{8}$ " (standard), $\frac{1}{4}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", 1 $\frac{1}{2}$ ", 2", 2 $\frac{1}{2}$ " or 3" (optional). Please specify panel reveal width.
4. Specify if panels are to have an end fold on the right end, left end, both ends or neither end. Please inquire for end fold pricing.
5. Corner panels are available, with or without end folds. Please inquire for pricing.
6. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim.
7. All painted panel prices include standard packaging. Corner panels require special packaging. Please inquire.
8. Pricing does not include factory applied vapor seal mastic. See Note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square per panel side to upgrade the panel interior from 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove for 24", 30" or 36" wide panels.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. Panels with end folds longer than 24'-0"Please Inquire
2. All panels without end folds longer than 32'-0"Please Inquire
3. Corner panels, with or without end folds, with either leg longer than 4'-0"Please Inquire
4. See corner panel ordering information on Pages 6 and 7.
5. Stucco embossing is standard on both interior and exterior panel skins. Please inquire for unembossed panel pricing. **Unembossed panels are limited to 20' maximum length.**
6. For cooler/freezer applicationsPlease Inquire
7. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.


PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

CF Architectural (Horizontal Applications)



FACTORY FORMED
OUTSIDE CORNER PANEL



CALCULATING PANEL LENGTHS


Example of Corner Leg Calculation

- Distance from steel line at corner to center of structural support at vertical joint = 2'-0".
- Corner panel leg length = 2'-0" less 3/8" for half of 3/4" gap at vertical joint, which = 1'-11 5/8".
- Then add for the panel thickness. If 2" thick panel, the leg length is 2'-1 5/8".

Ordering Information:


- Specify panel width of 24", 30" or 36".
- Provide left leg length and right leg length. Minimum standard leg length is 1'-0" and maximum standard leg length is 4'-0".
- Specify if panels are to have an end fold on the right leg, left leg, both legs or neither leg.
- Standard reveal is 1/8". For other reveal options, please inquire.

Factory Formed Outside Corner Ordering Information



CF Architectural (Horizontal Applications)

Factory Formed Endfold




Ordering Information:

1. Specify panel width of 24", 30" or 36".
2. Specify if panels are to have an end fold on the A leg, B leg, both legs (AB) or neither leg.
3. Standard reveal is 1/8". For other reveal options, please inquire.

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF Mesa




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	36"	2"	215#	Signature® 200 *	✓
26	26	36"	2"	215#	Signature® 300 *	✓
26	26	36"	2 1/2"	226#	Signature® 200 *	✓
26	26	36"	2 1/2"	226#	Signature® 300 *	✓
26	26	36"	3"	237#	Signature® 200 *	✓
26	26	36"	3"	237#	Signature® 300 *	✓
26	26	36"	4"	257#	Signature® 200 *	✓
26	26	36"	4"	257#	Signature® 300 *	✓
26	26	36"	5"	278#	Signature® 200 *	✓
26	26	36"	5"	278#	Signature® 300 *	✓
26	26	36"	6"	299#	Signature® 200 *	✓
26	26	36"	6"	299#	Signature® 300 *	✓
26	26	42"	2"	214#	Signature® 200 *	✓
26	26	42"	2"	214#	Signature® 300 *	✓
26	26	42"	2 1/2"	224#	Signature® 200 *	✓
26	26	42"	2 1/2"	224#	Signature® 300 *	✓
26	26	42"	3"	235#	Signature® 200 *	✓
26	26	42"	3"	235#	Signature® 300 *	✓
26	26	42"	4"	255#	Signature® 200 *	✓
26	26	42"	4"	255#	Signature® 300 *	✓
26	26	42"	5"	276#	Signature® 200 *	✓
26	26	42"	5"	276#	Signature® 300 *	✓
26	26	42"	6"	297#	Signature® 200 *	✓
26	26	42"	6"	297#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF Mesa



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim.
5. Pricing does not include factory applied vapor seal mastic. See note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square per panel to upgrade from 26 gauge to 24 gauge.
2. Additional charges will apply per square per panel side to upgrade from 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove for 30", 36" or 42" wide panels.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 50'-0"Please Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'Please Inquire
3. Stucco embossing is standard on both interior and exterior panel skins.
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX; Prince George, VA; Las Vegas, NV; Shelbyville, IN; Jackson, MS; Mattoon, IL; Hamilton, ON

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

CF Flute




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	42"	2"	214#	Signature® 200 *	✓
26	26	42"	2"	214#	Signature® 300 *	✓
26	26	42"	2 1/2"	224#	Signature® 200 *	✓
26	26	42"	2 1/2"	224#	Signature® 300 *	✓
26	26	42"	3"	235#	Signature® 200 *	✓
26	26	42"	3"	235#	Signature® 300 *	✓
26	26	42"	4"	255#	Signature® 200 *	✓
26	26	42"	4"	255#	Signature® 300 *	✓
26	26	42"	5"	276#	Signature® 200 *	✓
26	26	42"	5"	276#	Signature® 300 *	✓
26	26	42"	6"	297#	Signature® 200 *	✓
26	26	42"	6"	297#	Signature® 300 *	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF Flute



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All prices include standard packaging.
4. See pages 38- 62 for clip and accessory pricing. See pages 63- 93 for trim.
5. Pricing does not include factory applied vapor seal mastic. See Note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square per panel side to upgrade from 26 gauge to 24 gauge.
2. Additional charges will apply persquare per panel side to upgrade from 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square .
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 50'-0"Please Inquire
2. Stucco embossing is standard on both interior and exterior panel skins.
3. For cooler/freezer applicationsPlease Inquire
4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX; Prince George, VA; Las Vegas, NV; Shelbyville, IN; Jackson, MS; Mattoon, IL; Hamilton, ON

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Santa Fe®




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	36"	2"	236#	Signature® 200 *	✓
24	26	36"	2"	236#	Signature® 300 *	✓
24	26	36"	2½"	246#	Signature® 200 *	✓
24	26	36"	2½"	246#	Signature® 300 *	✓
24	26	36"	3"	257#	Signature® 200 *	✓
24	26	36"	3"	257#	Signature® 300 *	✓
24	26	36"	4"	277#	Signature® 200 *	✓
24	26	36"	4"	277#	Signature® 300 *	✓
24	26	42"	2"	235#	Signature® 200 *	✓
24	26	42"	2"	235#	Signature® 300 *	✓
24	26	42"	2½"	245#	Signature® 200 *	✓
24	26	42"	2½"	245#	Signature® 300 *	✓
24	26	42"	3"	256#	Signature® 200 *	✓
24	26	42"	3"	256#	Signature® 300 *	✓
24	26	42"	4"	276#	Signature® 200 *	✓
24	26	42"	4"	276#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

Santa Fe®



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim.
5. Pricing does not include factory applied vapor seal mastic. See Note5 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 22 gauge.
3. Additional charges will apply per square to upgrade the panel exterior from 24 gauge to 22 gauge.
4. Coil add charges apply for small orders under 60 squares.
5. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove for 36" and 42" wide panels.
6. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
7. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
8. For Signature 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
9. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
10. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charge as noted below.
11. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have strippable film or microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 40'-0"Please Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'Please Inquire
3. Stucco embossing is standard and required on the interior panel skin.
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Las Vegas, NV; Shelbyville, IN; Jackson, MS; Mattoon, IL

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Striated




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	36"	2"	236#	Signature® 200 *	✓
24	26	36"	2"	236#	Signature® 300 *	✓
24	26	36"	2½"	246#	Signature® 200 *	✓
24	26	36"	2½"	246#	Signature® 300 *	✓
24	26	36"	3"	257#	Signature® 200 *	✓
24	26	36"	3"	257#	Signature® 300 *	✓
24	26	36"	4"	277#	Signature® 200 *	✓
24	26	36"	4"	277#	Signature® 300 *	✓
24	26	42"	2"	235#	Signature® 200 *	✓
24	26	42"	2"	235#	Signature® 300 *	✓
24	26	42"	2½"	245#	Signature® 200 *	✓
24	26	42"	2½"	245#	Signature® 300 *	✓
24	26	42"	3"	256#	Signature® 200 *	✓
24	26	42"	3"	256#	Signature® 300 *	✓
24	26	42"	4"	276#	Signature® 200 *	✓
24	26	42"	4"	276#	Signature® 300 *	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

Striated



Panel Pricing:

1. Pricing is for panels and standard packaging only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim
5. Pricing does not include factory applied vapor seal mastic. See Note 5 under **Panel Add Charges**.

Panel Add Charges - In addition to the published price on the previous page, please add the following charges when applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 22 gauge.
3. Additional charges will apply per square to upgrade the panel exterior from 24 gauge to 22 gauge.
4. Coil add charges apply for small orders under 60 squares.
5. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove for 36" and 42" wide panels.
6. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
7. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
8. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
9. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
10. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charge as noted below.
11. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire

Notes:

1. All panels with lengths longer than 40'-0" for 24", 30" & 36" wide panels or 32'-0" for 42" panelsPlease Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'Please Inquire
3. Stucco embossing is standard and required on the interior panel skin.
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span®

24" wide panels - Las Vegas, NV and Mattoon, IL


30" wide panels - Las Vegas, NV and Mattoon, IL; Lewisville, TX; Prince George, VA

36" and 42" wide panels - Las Vegas, NV and Mattoon, IL; Lewisville, TX; Prince George, VA; Jackson, MS; Shelbyville, IN and Hamilton, ON

4" thick panels - available only at certain plantsPlease Inquire

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

7.2 Insul-Rib™




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	36"	3"	228#	Signature® 200 *	✓
26	26	36"	3"	228#	Signature® 300 *	✓
26	26	36"	4"	249#	Signature® 200 *	✓
26	26	36"	4"	249#	Signature® 300 *	✓
26	26	36"	5"	270#	Signature® 300 *	✓
26	26	36"	5"	270#	Signature® 200 *	✓
26	26	36"	6"	291#	Signature® 300 *	✓
26	26	36"	6"	291#	Signature® 200 *	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

7.2 Insul-Rib™



Panel Pricing:

1. Pricing is for panels only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim
5. Pricing does not include factory applied vapor seal mastic. See Note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square, per groove.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus set-up charge as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 40'-0"Please Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'Please Inquire
3. Stucco embossing is standard and required on both interior and exterior panel skins.
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Shelbyville, IN

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Thermalsafe®




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	42"	3"	390#	Signature® 200 *	✓
26	26	42"	3"	390#	Signature® 300 *	✓
26	26	42"	4"	451#	Signature® 300 *	✓
26	26	42"	4"	451#	Signature® 200 *	✓
26	26	42"	5"	522#	Signature® 300 *	✓
26	26	42"	5"	522#	Signature® 200 *	✓
26	26	42"	6"	593#	Signature® 300 *	✓
26	26	42"	6"	593#	Signature® 200 *	✓
26	26	42"	7"	664#	Signature® 200 *	✓
26	26	42"	7"	664#	Signature® 300 *	✓
26	26	42"	8"	734#	Signature® 200 *	✓
26	26	42"	8"	734#	Signature® 300 *	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

Thermalsafe®



Panel Pricing:

1. Pricing is for panels only. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown with a Light Mesa pattern. Interior skin is 26 gauge embossed Ultra Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim.
5. Vapor seal mastic must be field installed when required. Silicone must be used, though it is not required for fire resistive ratings.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Add additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Coil add charges apply for small orders under 60 squares.
3. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
4. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
5. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
6. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
7. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
8. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have strippable film or microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 40'-0"Please Inquire
2. Stucco embossing is standard and required on the interior panel skin.
3. For cooler/freezer applicationsPlease Inquire
4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.
5. The finished panels provide the following fire resistance ratings: 4" thickness for one hour, 7" thickness for two hour, and 8" thickness for three hour fire resistance ratings for non bearing walls in accordance with UL 263 Fire Endurance test and ASTM E119 tests. For more complete fire protection information, please inquire.

PRODUCING PLANT: Manufactured by Metl-Span® in Shelbyville, IN

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

CF45 Partition Wall




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	44 1/2"	2"	210#	Igloo White	✓
26	26	44 1/2"	2 1/2"	220#	Igloo White	✓
26	26	44 1/2"	3"	231#	Igloo White	✓
26	26	44 1/2"	4"	251#	Igloo White	✓
26	26	44 1/2"	5"	272#	Igloo White	✓
26	26	44 1/2"	6"	293#	Igloo White	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

CF45 Partition Wall



Panel Pricing:

1. Pricing is for panels only. Accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin as 26 gauge and coating system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All prices include standard packaging.
4. See pages 38-62 for clip and accessory pricing. See pages 63-93 for trim
5. Pricing does not include factory applied vapor seal mastic. See Note 4 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior and exterior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior and exterior from 26 gauge to 22 gauge.
3. Coil add charges apply for small orders under 60 squares.
4. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Additional charges will apply per square per groove for vapor seal mastic.
5. To switch either side of the panel from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square per side. For Signature 200 Standard, Non-Stocked colors, additional charges will apply per square, per side.
6. To switch either side of the panel from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square per side. For Signature 300 Standard, Non-Stocked colors, additional charges will apply per square, per side.
7. To switch either side of the panel from Igloo White to a Standard Non-Stocked Metallic color, additional charges will apply per square, per side.
8. For special colors, additional charges will apply per square, per side, plus set-up charge as listed below.
9. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have strippable film or microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 50'-0"Please Inquire
2. Stucco embossing is standard and required on both exterior and interior panel skin.
3. For cooler/freezer applicationsPlease Inquire
4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX; Prince George, VA; Las Vegas, NV; Shelbyville, IN; Jackson, MS; Mattoon, IL; Hamilton, ON

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

HPCI Barrier™ Panel




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	42"	2"	214#	Igloo White	✓
26	26	42"	2 1/2"	224#	Igloo White	✓
26	26	42"	3"	235#	Igloo White	✓
26	26	42"	4"	255#	Igloo White	✓
26	26	42"	5"	276#	Igloo White	✓
26	26	42"	6"	297#	Igloo White	✓

* See *Insulated Metal Panel Color Chart* for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

HPCI Barrier™ Panel



Panel Pricing:

- 1. Pricing is for panels only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
- 2. Pricing is based on 26 gauge material painted Igloo White for both the exterior and interior panel skins. The exterior skin is embossed material with no profile. The interior skin embossed Light Mesa. For other gauges, finishes or panel widths, please inquire.
- 3. All painted panel prices include standard packaging.
- 4. See pages 38- 62 for clip and accessory pricing. See pages 63- 93 for trim.
- 5. Pricing does not include factory applied vapor seal mastic. See Note 1 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

- 1. For factory applied vapor seal mastic, specify when mastic is to be installed in interior groove, or both interior and exterior grooves. Add additional charges will apply per square, per groove.
- 2. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

- 1. For orders less than 10 squares, set-up charges will apply. **Coil add charges will also apply.**
- 2. For special colors, set-up charges will apply.

Packaging:

- 1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
- 2. Bundles microfoam interleaving between panels.
- 3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
- 4. Special packagingPlease Inquire

Delivery:

- 1. All panelsAllow 4-8 weeks
- 2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

- 1. All panels with lengths longer than 24'-0"Please Inquire
- 2. Stucco embossing is standard and required onthe interior panel skin.
- 3. **The HPCI Barrier Panel must be seperated from the interior of the building by an approved thermal barrier of 1/2" gypsum wallboard to meet IBC requirements.**
- 4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.

PRODUCING PLANTS: Manufactured by Metl-Span® in Lewisville, TX; Prince George, VA; Las Vegas, NV; Shelbyville, IN; Jackson, MS; Mattoon, IL;Hamilton, ON

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Tuff-Cast™/Tuff Wall®




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	36"	2"	247#	Tuff-Cast™ *	✓
24	26	36"	2"	247#	Tuff Wall® *	✓
24	26	36"	2 1/2"	257#	Tuff-Cast™ *	✓
24	26	36"	2 1/2"	257#	Tuff Wall® *	✓
24	26	36"	3"	268#	Tuff-Cast™ *	✓
24	26	36"	3"	268#	Tuff Wall® *	✓
24	26	36"	4"	288#	Tuff-Cast™ *	✓
24	26	36"	4"	288#	Tuff Wall® *	✓
24	26	42"	2"	246#	Tuff-Cast™ *	✓
24	26	42"	2"	246#	Tuff Wall® *	✓
24	26	42"	2 1/2"	256#	Tuff-Cast™ *	✓
24	26	42"	2 1/2"	256#	Tuff Wall® *	✓
24	26	42"	3"	267#	Tuff-Cast™ *	✓
24	26	42"	3"	267#	Tuff Wall® *	✓
24	26	42"	4"	287#	Tuff-Cast™ *	✓
24	26	42"	4"	287#	Tuff Wall® *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

Tuff-Cast™/Tuff Wall®



Panel Pricing:

1. Pricing is for panels only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and applied finish system shown. Interior skin is 26 gauge embossed Light Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. Panels with applied finishes require additional packaging.
4. See pages 38- 62 for clip and accessory pricing. See pages 63- 93 for trim.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 22 gauge.
3. Additional charges will apply per square to upgrade the panel exterior from 24 gauge to 22 gauge.
4. Coil add charges apply for small orders under 60 square.
5. To switch the panel interior (non-textured side) from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior (non-textured side) from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Standard Non-Stocked Metallic colors for the panel interior (non-textured side) additional charges will apply per square.
8. For special colors, add additional charges will apply per square for the panel interior (non-textured side), plus applicable set-up charge as noted below. For special **Tuff-Cast™** and **Tuff Wall®** colors for the panel exterior, please inquire.
9. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. For orders less than 10 squares, set-up charges will apply.
2. For special colors for the panel interior (non-textured side), set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Approximately 6-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire

Notes:

1. Tuff Wall®/Tuff-Cast™ panels with lengths longer than 38'-0"Please Inquire
2. Stucco embossing is standard and required on both interior and exterior panel skins.
3. For cooler/freezer applicationsPlease Inquire
4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.
5. Panels must be grouped by wall elevation to minimize color variances in applied finish batches.


PRODUCING PLANTS: Manufactured by Metl-Span® in Las Vegas, NV; Prince George, VA; Jackson, MS

2" and 3" thick panels - Las Vegas, NV; Prince George, VA; Jackson, MS

4" thick panels - Jackson, MS only

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

CFR - 30" Coverage



DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	30"	2"	242#	Galvalume Plus® ✕	✓
24	26	30"	2"	242#	Signature® 200 *	✓
24	26	30"	2"	242#	Signature® 300 *	✓
24	26	30"	2 1/2"	257#	Galvalume Plus® ✕	✓
24	26	30"	2 1/2"	257#	Signature® 200 *	✓
24	26	30"	2 1/2"	257#	Signature® 300 *	✓
24	26	30"	3"	263#	Galvalume Plus® ✕	✓
24	26	30"	3"	263#	Signature® 200 *	✓
24	26	30"	3"	263#	Signature® 300 *	✓
24	26	30"	4"	283#	Galvalume Plus® ✕	✓
24	26	30"	4"	283#	Signature® 200 *	✓
24	26	30"	4"	283#	Signature® 300 *	✓
24	26	30"	5"	304#	Galvalume Plus® ✕	✓
24	26	30"	5"	304#	Signature® 200 *	✓
24	26	30"	5"	304#	Signature® 300 *	✓
24	26	30"	6"	325#	Galvalume Plus® ✕	✓
24	26	30"	6"	325#	Signature® 200 *	✓
24	26	30"	6"	325#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

CFR - 36" Coverage




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	36"	2"	236#	Galvalume Plus® α	✓
24	26	36"	2"	236#	Signature® 200 *	✓
24	26	36"	2"	236#	Signature® 300 *	✓
24	26	36"	2 1/2"	246#	Galvalume Plus® α	✓
24	26	36"	2 1/2"	246#	Signature® 200 *	✓
24	26	36"	2 1/2"	246#	Signature® 300 *	✓
24	26	36"	3"	257#	Galvalume Plus® α	✓
24	26	36"	3"	257#	Signature® 200 *	✓
24	26	36"	3"	257#	Signature® 300 *	✓
24	26	36"	4"	277#	Galvalume Plus® α	✓
24	26	36"	4"	277#	Signature® 200 *	✓
24	26	36"	4"	277#	Signature® 300 *	✓
24	26	36"	5"	298#	Galvalume Plus® α	✓
24	26	36"	5"	298#	Signature® 200 *	✓
24	26	36"	5"	298#	Signature® 300 *	✓
24	26	36"	6"	319#	Galvalume Plus® α	✓
24	26	36"	6"	319#	Signature® 200 *	✓
24	26	36"	6"	319#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

CFR - 42" Coverage




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
24	26	42"	2"	235#	Galvalume Plus® ✕	✓
24	26	42"	2"	235#	Signature® 200 *	✓
24	26	42"	2"	235#	Signature® 300 *	✓
24	26	42"	2 1/2"	245#	Galvalume Plus® ✕	✓
24	26	42"	2 1/2"	245#	Signature® 200 *	✓
24	26	42"	2 1/2"	245#	Signature® 300 *	✓
24	26	42"	3"	256#	Galvalume Plus® ✕	✓
24	26	42"	3"	256#	Signature® 200 *	✓
24	26	42"	3"	256#	Signature® 300 *	✓
24	26	42"	4"	276#	Galvalume Plus® ✕	✓
24	26	42"	4"	276#	Signature® 200 *	✓
24	26	42"	4"	276#	Signature® 300 *	✓
24	26	42"	5"	297#	Galvalume Plus® ✕	✓
24	26	42"	5"	297#	Signature® 200 *	✓
24	26	42"	5"	297#	Signature® 300 *	✓
24	26	42"	6"	318#	Galvalume Plus® ✕	✓
24	26	42"	6"	318#	Signature® 200 *	✓
24	26	42"	6"	318#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

CFR - 30", 36" and 42" Coverage



Panel Pricing:

1. Pricing is for panels only. Clips and other accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All prices include standard packaging.
4. See pages 38- 62 for clips and accessories pricing. See pages 63-93 for trim.
5. Pricing does not include factory applied vapor seal mastic. See note 4 under **Panel Add Charges** for pricing.
6. Mastic is not factory installed in the female leg. Seam Butyl Sealant Tape must be purchased separately to seal the panel seams.
7. Panels less than 12'-0" in length cannot be notched or swaged. Panels less than 9'-6" in length cannot be factory cut-back. Panels under 8'-0" must be cut offline and an additional charge will be incurred. See **Panel Add Charges**.
8. Backer plates will be factory installed in all panels except for **Eave/Hip, Peak/Hip**. For these panel types, the backer plates will be shipped loose for field installation. When required, these panels must be field notched, cut-back and have backer plates installed in the field.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 22 gauge.
3. Additional charges will apply per square to upgrade the panel exterior from 24 gauge to 22 gauge.
4. For factory applied vapor seal mastic in the interior panel groove, additional charges will apply.
5. Coil add charges apply for small orders under 60 squares.
6. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
7. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
8. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
9. For Standard Non-Stocked Metallic colors, additional charges will apply per square for the panel exterior and/or the panel interior.
10. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charges as noted below.
11. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. Additional set-up charges will apply for orders less than 50 squares. **Coil add charges will also apply.**
2. For special colors, additional set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire

Notes:


1. All panels with lengths longer than 50'-0"Please Inquire
2. Stucco embossing is standard and required on both interior and exterior panel skins.
3. For cooler/freezer applicationsPlease Inquire
4. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.
5. For panel ordering information, see pages 31 - 32.

PRODUCING PLANTS: Manufactured by Metl-Span®

42" and 36" wide panels -Lewisville, TX; Las Vegas, NV; Prince George, VA


30" wide panels - Lewisville, TX

CFR Roof Panel Ordering Information




Condition				Cut List Notations	Manufacturing Instruction
Panels with End A at the ridge or top of a slope				BP	Insert Backup Plates in End A.
Panels with End A overlapped by another course				BP, N&S	Insert Backup Plates. Notch and swage End A.
Panels with End B overlapping another course				CB3"	3" Cutback in End B
Panels with End B overlapping wall panels				CB?"	Contractor to specify Cutback 3" is typical, 4" is maximum. Overall panel length will include the extension.
Trim Requirements: Please indicate your choice.				CFR Roof Panel Minimum Length Offering* *Top skin dimension. No off-line cutting offered	
High Profile	Rake	Gutter	No Gutter	No Cut-Back, no Notch and Swage	8'-0"
Low Profile	Rake	Gutter	No Gutter	With Cut-Back	9'-6"
				With Notch and Swage	21'-0"

CFR Roof Panel Ordering Information



Condition				Cut List Notations	Manufacturing Instruction
Panels with End A at the ridge hip				S	Straight cut and ship backup plates loose.
Panels with End A overlapped by another course				BP, N&S	Insert Backup Plates. Notch and swage End A.
Panels with End B overlapping another course				CB3"	3" Cutback in End B
Panels with End B at a valley				S	Straight cut - no end treatment.
Trim Requirements: Please indicate your choice.				CFR Roof Panel Minimum Length Offering* *Top skin dimension. No off-line cutting offered	
High Profile	Rake	Gutter	No Gutter	No Cut-Back, no Notch and Swage	8'-0"
Low Profile	Rake	Gutter	No Gutter	With Cut-Back	9'-6"
				With Notch and Swage	21'-0"

LS-36™




DESCRIPTION						PRICED PER SQUARE ♦
EXT. GA.	INT. GA.	COVERAGE	PANEL THICKNESS	WEIGHT PER SQ.	FINISH	PRICE
26	26	36"	1 1/2"	200#	Galvalume Plus® □	✓
26	26	36"	1 1/2"	200#	Signature® 200 *	✓
26	26	36"	1 1/2"	200#	Signature® 300 *	✓
26	26	36"	2"	211#	Galvalume Plus® □	✓
26	26	36"	2"	211#	Signature® 200 *	✓
26	26	36"	2"	211#	Signature® 300 *	✓
26	26	36"	2 1/2"	222#	Galvalume Plus® □	✓
26	26	36"	2 1/2"	222#	Signature® 200 *	✓
26	26	36"	2 1/2"	222#	Signature® 300 *	✓
26	26	36"	3"	233#	Galvalume Plus® □	✓
26	26	36"	3"	233#	Signature® 200 *	✓
26	26	36"	3"	233#	Signature® 300 *	✓
26	26	36"	4"	255#	Galvalume Plus® □	✓
26	26	36"	4"	255#	Signature® 200 *	✓
26	26	36"	4"	255#	Signature® 300 *	✓
26	26	36"	5"	277#	Galvalume Plus® □	✓
26	26	36"	5"	277#	Signature® 200 *	✓
26	26	36"	5"	277#	Signature® 300 *	✓
26	26	36"	6"	299#	Galvalume Plus® □	✓
26	26	36"	6"	299#	Signature® 200 *	✓
26	26	36"	6"	299#	Signature® 300 *	✓

* See **Insulated Metal Panel Color Chart** for Standard Stocked and Standard Non-Stocked Colors

♦ In addition to the price per square, non-stocked colors, special colors and small quantities require set-up fees and add charges.

□ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

LS-36™



Panel Pricing:

1. Pricing is for panels only. Accessories are sold separately. Panel pricing is based on net coverage and the total square feet of panel ordered within the same gauge and color.
2. Pricing is based on the exterior skin gauge and coating system shown. Interior skin is 26 gauge embossed Mesa, painted Igloo White. For other gauges, finishes or panel widths, please inquire.
3. All painted panel prices include standard packaging. Panels with applied finishes require an additional \$25.00 per square for packaging.
4. See pages 38-62 for accessory pricing. See pages 63-93 for trim pricing.
5. Pricing does not include factory applied vapor seal mastic. See Note 3 under **Panel Add Charges**.

Panel Add Charges - In addition to the panel price the following charges may be applicable:

1. Additional charges will apply per square to upgrade the panel interior from 26 gauge to 24 gauge.
2. Additional charges will apply square to upgrade the panel interior from and or exterior 26 gauge to 22 gauge.
3. For factory applied vapor seal mastic, (for wall panels only) add \$7.00 per square. Vapor seal mastic must be field applied for roof applications.
4. Coil add charges apply for small orders under 60 squares.
5. To switch the panel interior from Igloo White to a Signature 200 Standard, Stocked color, additional charges will apply per square.
6. To switch the panel interior from Igloo White to a Signature 300 Standard, Stocked color, additional charges will apply per square.
7. For Signature 200 or 300 Standard, Non-Stocked colors on the panel exterior, additional charges will apply per square.
8. For Standard Non-Stocked Metallic colors, add additional charges will apply per square for the panel exterior and/or the panel interior.
9. For special colors, additional charges will apply per square for the panel exterior and/or the panel interior, plus applicable set-up charge as noted below.
10. For panel lengths less than 8'-0", additional charges will apply per panel.

Set-Up Fees for Orders:

1. Additional set-up charges will apply for orders less than 50 squares. **Coil add charges will also apply.**
2. For special colors, set-up charges will apply.

Packaging:

1. Standard packaging: Cardboard runners with OSB on bottom of bundle, end caps and shrinkwrap.
2. Bundles have microfoam interleaving between panels.
3. Maximum weight per bundle is 7,500#. Maximum bundle height is 48".
4. Special packagingPlease Inquire

Delivery:

1. Stocked gauges and colors (See Insulated Metal Panel Color Chart for available colors)Allow 4-8 weeks
2. Other gauges, colors or small quantities of Standard Non-Stocked or custom colorsPlease Inquire


Notes:

1. All panels with lengths longer than 50'-0"Please Inquire
2. All painted panels with applied finishes and panel lengths longer than 20'-0"Please Inquire
3. Stucco embossing is standard on the interior panel skin. The exterior panel skin is smooth as standard.
4. For cooler/freezer applicationsPlease Inquire
5. Substrate may be either G90 Galvanized or Galvalume®. If a particular substrate is required, it must be specified at time of order.
6. Tuff-Wall®/Tuff-Cast™ finishes require the exterior panel skin to be produced from a matta matte coil of the same color as the finish.
7. For panel ordering information, see pages -

PRODUCING PLANTS: Manufactured by Metl-Span® in Jackson, MS; Mattoon, IL

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


LS-36™ Roof Panel Ordering Information



ORDERING INFORMATION:

1. Specify panel designation based on number of panels required to run from eave to ridge. See panel types above to help determine panel designations based on your particular application.
2. Roof panels, whether single panel run or multiple panel run, must be erected left to right when standing at the eave and looking up slope.
3. Single panel run on roof - specify panel as "Eave/Blank". Specify cut back at eave 2" - 11" in 1" increments.
4. Multiple panel run on roof - specify lower panel as "Eave/Blank" and cut back at eave 2" - 11" in 1" increments. Specify middle and/or peak panels as "Mid/Peak" and the cut back at end lap(s) will be 3".
5. For Valley applications specify a 0" cut back on the Eave/Blank panel.
6. Panels under 8'-0" in length will not have factory cutbacks. When required, these panels can be field cutback by the installer.

LS-36™ Wall Panel Ordering Information



SINGLE RUN WALL PANELS

PANELS MAY BE ERECTED FROM EITHER DIRECTION

BLANK PANEL ONE PANEL FROM BASE TO EAVE




Blank Panel Is
Square Cut Both Ends


ORDERING INFORMATION:

1. Single panel run, on wall, may be erected in either direction.
2. Single panel run, on wall - specify panel as "Blank".

LS-36™ Wall Panel Ordering Information



STACK JOINT WALL PANELS WITH TRIM
PANELS MAY BE ERECTED FROM EITHER DIRECTION




STACK JOINT WALL PANELS WITHOUT TRIM
PANELS MUST BE ERECTED FROM LEFT TO RIGHT

BLANK PANEL
ONE PANEL FROM BASE TO
STACK JOINT TRIM AND FROM
STACK JOINT TRIM TO EAVE




Blank Panel Is
Square Cut Both Ends

LAP PANEL
MULTIPLE PANELS FROM
STACK JOINT TO STACK JOINT
OR TO EAVE



3" Cutback

BLANK PANEL
ONE PANEL FROM BASE TO
STACK JOINT




Blank Panel Is
Square Cut Both Ends

ORDERING INFORMATION:

1. Specify panel designation based on number of panels required to run from base to eave. See panel types above to help determine panel designations based on your particular application.
2. Multiple panel run with trim, on wall, may be erected in either direction.
3. Multiple panel run with trim, on wall - specify panel as "Blank".
4. Multiple panel run without trim, on wall, must be erected from left to right when looking at the exterior face of the wall.
5. Multiple panel run without trim, on wall - specify lower panel as "Blank". Specify middle and/or upper panel as "Lap" and the cut back at end lap(s) will be 3".
6. Lap panels under 8'-0" in length will not have factory cutbacks. When required, these panels can be field cutback by the installer.

Wall Panel Clip




Note:

- Used for all Vertical and Horizontal Wall Panels at male side joint tongue, except LS-36™ or Fire Resistant Panels.

DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	LENGTH	WEIGHT EACH	PRICE
4633	14	Galvanized	4"	.05#	✓
4633S	14	Stainless Steel	4"	.05#	✓

Girt/Beam Clip




Note:

- Clip is used to attach the back side of a panel to a structural beam.

DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	DIM "A"	WEIGHT EACH	PRICE
4802	10	Galvanized	1/4"	.11#	✓
4802S	10	Stainless Steel	1/4"	.11#	✓
4803	10	Galvanized	3/8"	.11#	✓
4803S	10	Stainless Steel	3/8"	.11#	✓
4804	10	Galvanized	1/2"	.11#	✓
4804S	10	Stainless Steel	1/2"	.11#	Please Inquire

Liner Clip




Note:

- The clip fits into the panel female groove and attaches the liner panel to within 1/8" of the wall.


DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	LENGTH	WEIGHT EACH	PRICE
4704	16	Galvanized	3"	.10#	✓
4704S	16	Stainless Steel	3"	.10#	✓

Cee Clip



DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	LENGTH	WEIGHT EACH	PRICE
4805	16	Galvanized	2 ³ / ₄ "	.16#	✓

J Clip




Note:

- Used at wall base starting course of Horizontal Panels to attach panel to substrate

DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	LENGTH	WEIGHT EACH	PRICE
4305	16	Galvanized	3"	.12#	✓
4305S	16	Stainless Steel	3"	.12#	✓

CFR Roof Panel Clip




Note:

- Requires Clip Butyl Sealant Tape (part no. 7412) to be field installed on each clip.

DESCRIPTION					PRICED PER EACH
PART #	GAUGE (BASE / TAB)	FINISH	PANEL THICKNESS	WEIGHT EACH	PRICE
4102	12 Ga. / 20 Ga.	Galvanized	2"	.30#	✓
4125	12 Ga. / 20 Ga.	Galvanized	2 ¹ / ₂ "	.40#	✓
4103	12 Ga. / 20 Ga.	Galvanized	3"	.50#	✓
4104	12 Ga. / 20 Ga.	Galvanized	4"	.60#	✓
4105	12 Ga. / 20 Ga.	Galvanized	5"	.70#	✓
4106	12 Ga. / 20 Ga.	Galvanized	6"	.80#	✓

Valley Support Plate




Note:

- Use with Insulated LS-36™ or CFR Panels.

DESCRIPTION						PRICED PER EACH
PART #	GAUGE	GIRTH	LENGTH	FINISH	WEIGHT EACH	PRICE
P-101	14	36"	10'-0"	Red Oxide	84.47#	✓

Hip Support Plate



Note:


DESCRIPTION						PRICED PER EACH
PART #	GAUGE	GIRTH	LENGTH	FINISH	WEIGHT EACH	PRICE
P-141	14	23 ³ / ₈ "	10'-0"	Red Oxide	84.47#	✓

Angle



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	LENGTH	FINISH	WEIGHT EACH	PRICE
1 ¹ / ₂ " x 2 ¹ / ₂ "	14	10'-0"	Galvanized	9.51#	✓
1" x 5"	16	10'-0"	Galvanized	12.64#	✓

Ridge & Endlap Back-Up Plate - CFR



Note:

Use: Back-up Plates are inserted between the foam and the exterior skin during manufacturing to provide additional fastener support at each Mesa.

Ridge: To support the ridge fasteners, the plate is inserted in end.

Endlap: If there is an endlap, the back-up plate is also inserted at end to support the endlap fastener.

Field Applied: If the customer must cut the panels to accommodate a Hip Roof or if the customer is not sure of the panel lengths and plans to field cut the roof panels, the back-up plates must be field-installed.

Quantity: (1) at each High Mesa. (4" o.c.)

DESCRIPTION						PRICED PER EACH
PART #	GAUGE	WIDTH	LENGTH	FINISH	WEIGHT EACH	PRICE
4211	16	1 ³ / ₈ "	4"	Galvanized	.05#	✓

Classic Outside Closure



Note:

- Use with CF Flute Panel -1 per panel required

DESCRIPTION							PRICED PER EACH
PART #	PROFILE	TYPE	ADHESIVE?	LENGTH	COLOR	WEIGHT EACH	PRICE
7607	Classic	Outside	No	42"	Gray	.40#	✓

R Panel Foam Outside Closure




Note:

- Use with Insulated "R"Panel - 1 per panel required

DESCRIPTION						PRICED PER EACH
PART #	PROFILE	TYPE	ADHESIVE?	CARTON SIZE	WEIGHT EACH	PRICE
HW-456	R Panel	Outside	Yes	100	.08#	✓

R Panel Metal Outside Closure




Note:

- 26 gauge material
- Use with LS-36™ Panel - 3 per panel required

DESCRIPTION						PRICED PER EACH
PART #	PROFILE	TYPE	LENGTH	FINISH	WEIGHT EACH	PRICE
HW-4041	R Panel	Outside	12"	Galvalume Plus®	.16#	✓
				Painted	.16#	✓

7.2 Foam Outside Closure




Note:

- Use with 7.2 Insul-Rib™ Panel -1 per panel required


DESCRIPTION							PRICED PER EACH
PART #	PROFILE	TYPE	ADHESIVE?	LENGTH	COLOR	WEIGHT EACH	PRICE
7609	7.2	Outside	No	36"	Gray	.40#	✓

CFR Metal Outside Closure



DESCRIPTION						PRICED PER EACH
PART #	PROFILE	WIDTH	GAUGE	FINISH	WEIGHT EACH	PRICE
7900	CFR	42"	24	Kynar Polar White	1.20#	✓
				Sandstone	1.20#	✓
				Black	1.20#	✓
7901	CFR	30"	24	Black	1.20#	✓
7902	CFR	36"	24	Black	1.20#	✓

Endlap Butyl Sealant Tape - CFR



Use:


The tape provides a seal underneath the Ridge Closure on CFR panels.

Quantity: (4 x # of Panels) / 30' = # of rolls.



DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	COLOR	ROLL WEIGHT	PRICE
7403	Butyl	1 1/4"	5/32"	30'-0"	White	3.40#	✓

Perimeter Flashing Butyl Sealant Tape



Use: The tape provides a continuous seal for all CFR trim.

Use when tape will cross Mesa profiles (interior or exterior)


Quantity: (Linear Feet of Tape) / 20' = # of rolls

Refer to CFR Installation Guide to determine if 1 or 2 strips of tape are required for each trim.



DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	COLOR	ROLL WEIGHT	PRICE
7405	Butyl	1"	1/4"	20'-0"	White	2.47#	✓


Seam Butyl Sealant Tape - CFR



Use: The tape is applied to the top of the male standing seam leg prior to installation of the next panel.

DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	COLOR	CARTON WEIGHT	PRICE
7406	Butyl	3/8"	5/32"	40'-0"	White	1.49#	✓

1" Butyl Sealant Tape




Use: *Flashings* - Tape is used to form a continuous, waterproof seal between flashings and panels and to seal openings where fasteners penetrate the flashing and panel. Also used as vapor sealant and cut edges of wall panels.

Quantity: LF/40 = # of rolls

DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	COLOR	ROLL WEIGHT	PRICE
7300	Butyl	1"	1/8"	40'-0"	Gray	3.33#	✓

Clip Butyl Sealant Tape - CFR




Use: Clip sealant is applied to the CFR clip to seal between each 4" clip and the male leg of the standing seam, extending 1/4" to either side of the clip.

Quantity: ((# of Clips x 4.5") / 12") / 40' = # of rolls

DESCRIPTION						PRICED PER ROLL
PART #	TYPE	DIAMETER	LENGTH	COLOR	ROLL WEIGHT	PRICE
7412	Butyl	3/16"	40'-0"	Gray	.61#	✓

Tape Sealer



DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	ROLL WEIGHT	PRICE
HW-507	Flat	1 1/2"	3/32"	50'-0"	20 Rolls	1.60#	✓

Tri-Bead Tape Sealer



DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-504	Tri-Bead	7/8"	3/16"	25'-0"	8 Rolls	20.00#	✓

Triple Bead Tape Sealer




Use:

Endlap tape is used to provide a seal where two rows of roof panels overlap each other on both CFR panels.

DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-502	Triple Bead	2 1/2"	3/16"	20'-0"	6 Rolls	23.00#	✓

Tube Sealant




Note:

- 25' per tube at 1/4" bead.


DESCRIPTION						PRICED PER TUBE
PART #	TYPE	COLOR	TUBE SIZE	CARTON QTY	ROLL WEIGHT	PRICE
HW-540	Urethane	White	11 ounce	30	.85#	✓
HW-541	Urethane	Gray	11 ounce	30	.85#	✓
HW-542	Urethane	Bronze	11 ounce	30	.85#	✓
HW-544	Urethane	Almond	11 ounce	30	.85#	✓
7100	Non-Skinning Butyl	White	10 ounce	30	.85#	✓
7101	Silicone	White	10 ounce	30	.95#	✓

Touch Up Paint



DESCRIPTION					PRICED PER EACH
PART #	TYPE	COLOR	SIZE	WEIGHT EACH	PRICE
HW-304	Signature® 200	See color chart	2 ounce	.50#	✓
HW-305	Signature® 300	See color chart	2 ounce	.50#	✓
HW-336	Tuff-Cast™	See color chart	2 quarts	3.50#	✓
HW-335	Tuff Wall®	See color chart	Part A (9751XT)	3.50#	✓
			Part B (9752XT)		
			2 quarts		
			Part A (9751XT) Part B (9752XT)		

Touch Up Kit



Note:

- Includes (1) gallon glue, (1) gallon clear coat and (1) 80 lb bag of granules

DESCRIPTION					PRICED PER KIT
PART #	TYPE	COLOR	SIZE	KIT WEIGHT	PRICE
HW-332	Granite Rock	See color chart	See note	90.00#	✓


CFR Endlap Assembly Guide



Use: This tool is used to help with the sealant placement and location of endlap screws. One required per project.

DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT EACH	PRICE
9947	CFR 30"	1.27#	✓
9948	CFR 36"	1.27#	✓
9949	CFR 42"	1.27#	✓


CFR Seam Clamp 6R



Use: The Seam Clamp is used at endlaps to help hold module. Two recommended per project.

DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT EACH	PRICE
9910	CFR	1.02#	✓

CFR Rib Clamp 11R




Use: The Rib Clamp is used to pull the Male and Female ribs together during installation to insure that the tongue and groove joint is fully engaged.

Quantity: The number of Rib Clamps will vary with the length of the panels. Provide enough clamps to allow (1) clamp at each end and (1) clamp every 10' for the longest panel length.

DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT EACH	PRICE
9920	CFR	2.70#	✓


CFR Hand Crimper



Use: The Hand Seamer is used to crimp each roof sidelap at the eave and ridge end of the panels and at the roof panel endlaps prior to using the Motorized Seamer. One required per project.

DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT EACH	PRICE
HW-1269	CFR	11.00#	✓

Gasket Installation Tool




Note:

- For installing gasket at Grand H butt joints.

DESCRIPTION				PRICED PER EACH
PART #	WALL SYSTEM	LENGTH	WEIGHT EACH	PRICE
9966	Horizontal	10"	.75#	✓

Vertical Joint Gauge




Note:

- For gauging gap at Architectural Panel butt joints.

DESCRIPTION					PRICED PER EACH
PART #	WALL SYSTEM	TYPE	LENGTH	WEIGHT EACH	PRICE
9963	Horizontal	Plastic	7"	1.00#	✓

Vertical Joint Gasket




Note:

- Min. order is 2,000/LF. Set up fees will apply.
- Comes in 50' rolls

DESCRIPTION					PRICED PER LINEAR FOOT
PART #	WALL SYSTEM	TYPE	LENGTH	WEIGHT PER FOOT	PRICE
7707	Horizontal	Black EPDM	Cut to Order	.25#	✓
7708	Horizontal	Color EPDM	Cut to Order	.25#	✓

Wiper Gasket




Note:

- Used in Extrusions to keep out dirt
- Cut to order

DESCRIPTION				PRICED PER LINEAR FOOT
PART #	WALL SYSTEM	TYPE	WEIGHT PER FOOT	PRICE
7800	Horizontal	Vinyl	.01#	✓


Ceiling Tee Splice Assembly



Notes:


1. All ceiling systems must be evaluated on a job specific basis, by a registered professional engineer.
2. The "Engineer of Record" should determine the uniform load requirements (psf) and point load requirements (lbs) required for a specific project.
3. The capacity of the building structural steel or building roof framing to support the ceiling loads must be verified by the "Engineer of Record".
4. is not responsible for the attachment of the ceiling support structure to the building structure.
5. All ceiling support components must be installed complete before allowing any traffic on ceiling.
6. Ceilings will be designed to support the specified dead and live loads. Heavier loading will require thicker panels, closer hangar spacing, closer clip spacing and/or reduced spans.

Hanger Rod Connector



DESCRIPTION					PRICED PER EACH
PART #	SIZE	LENGTH	FINISH	WEIGHT EACH	PRICE
9461	3/8"	2"	Plated	.02#	✓

Bolt and Nut




DESCRIPTION					PRICED PER EACH
PART #	SIZE	DESCRIPTION	FINISH	WEIGHT EACH	PRICE
2614	3/8" x 1 1/4"	Bolt	Plated	.05#	✓
2615	3/8"	Nut	Plated	.01#	✓

Washer



DESCRIPTION					PRICED PER EACH
PART #	SIZE	DESCRIPTION	FINISH	WEIGHT EACH	PRICE
2616	3/8"	Flat	Plated	.01#	✓

Vapor Barrier




Note:

- 0.05 Mil. Self-adhering membrane


DESCRIPTION					PRICED PER ROLL
PART #	WIDTH	LENGTH	TYPE	ROLL WEIGHT	PRICE
HW-3692A	4"	50'-0"	Vinyl	5.00#	✓
HW-3692B	12"	50'-0"	Vinyl	15.00#	✓

Ceiling Clip



DESCRIPTION					PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	WEIGHT EACH	PRICE
4508	14	8"	Galvanized	.20#	✓

Ceiling Tee Extrusion




Note:

- Standard color is white. For other colors, please inquire.

DESCRIPTION					PRICED PER EACH
PART #	FINISH	LENGTH	MATERIAL	WEIGHT EACH	PRICE
9467	Signature® 300	16'-0"	Aluminum	31.00#	✓

Splice Plates (Pair)




Note:

- Used with 9467 to splice multiple Ceiling Tee Extrusions together
- Sold in pairs

DESCRIPTION					PRICED PER PAIR
PART #	GAUGE	LENGTH	FINISH	WEIGHT EACH	PRICE
9463	14	16'-0"	Galvanized	1.03#	✓

Standard Fastener #1E




1/4"-14 x 1 1/4" Long Life Driller
5/16" Hex Washer Head w/Sealing Washer

Note:

- Fasteners sold in quantities of 250 only
- ‡Add \$25.00 paint set-up charge

DESCRIPTION					PRICED PER 1000	
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1E	5/16"	Long Life Driller	2,000	19.20#	✓	✓ ‡

Standard Fastener #4




1/4"-14 x 7/8" Long Life Lap TEK
5/16" Hex Washer Head w/Sealing Washer

Note:

- Fasteners sold in quantities of 250 only
- ‡Add \$25.00 paint set up charge for Sig. 300, Sig. 300 Metallic and special colors

DESCRIPTION					PRICED PER 1000	
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#4	5/16"	Long Life Lap TEK	2,000	21.70#	✓	✓ ‡

Standard Fastener #4A




1/4"-14 x 7/8" Lap TEK
5/16" Hex Washer Head w/ 5/8" O.D. Washer

Note:

- Fasteners sold in quantities of 250 only
- ‡Add \$25.00 paint set up charge for Sig. 300, Sig. 300 Metallic and special colors

DESCRIPTION					PRICED PER 1000	
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#4A	5/16"	Lap TEK	2,500	16.00#	✓	✓ ‡

Standard Fastener #12A



12 x 1" Pancake Head Driller
#2 Quadrex Drive Pancake Head

Note:

- Fasteners sold in quantities of 250 only
- Special driver required for this fastener (HW-616 #2 Quadrex Drive)

DESCRIPTION					PRICED PER 1000	
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#12A	#2 Quadrex Drive	Driller	2,500	7.00#	✓	

Standard Fastener #14



1/8" x 0.337" Pop Rivet

Note:

- Fasteners sold in quantities of 250 only
- 1/8" diameter x 3/16" grip range
- ‡ Add \$25.00 paint set-up charge for Sig. 300 Metallic and special colors

DESCRIPTION			PRICED PER 1000		
PART #	MATERIAL	WEIGHT / 1000	PLATED	PAINTED STANDARD COLOR	PAINTED SPECIAL COLOR
#14	Stainless Steel	2.90#	✓	✓ ‡	✓ ‡

Standard Fastener #14A




1/8" x 0.525" Pop Rivet

Note:

- Fasteners sold in quantities of 250 only
- 1/8" diameter x 3/8" grip range
- ‡ Add \$25.00 paint set-up charge for Sig. 300 Metallic and special colors

DESCRIPTION			PRICED PER 1000		
PART #	MATERIAL	WEIGHT / 1000	PLATED	PAINTED	
#14A	Stainless Steel	3.00#	✓	✓ ‡	

Standard Fastener #43L



1/4"-14 x 1 1/4" Long Life Driller
5/16" Hex Washer Head w/ 1 1/8" O.D. Washer

Note:


- Used at CFR Endlaps

Note:

- Fasteners sold in quantities of 250 only
- ‡Add \$25.00 paint set-up charge

DESCRIPTION					PRICED PER 1000	
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#43L	5/16"	Long Life Driller	2,000	61.00#	✓	✓ ‡

Standard Fastener #2605




9/32 - 1.090" Dome BT Rivet w/washer

- This Fastener can be purchased in any quantity - Increments of 250 are not required
- Requires special rivet gun
- 5/16" pilot hole required
- 1/4" to 5/8" grip range

DESCRIPTION				PRICED PER 1000	
PART #	TYPE	CARTON SIZE	WEIGHT / 1000	PRICE	
#2605	Bulb Tite Rivet	1,000	15.00#	✓	

Standard Fastener #2606




9/32 - 1.340\" Dome BT Rivet w/washer
Grip Range 1/4\"-1/2\"

- This Fastener can be purchased in any quantity - Increments of 250 are not required
- Requires special rivet gun
- 5/16\" pilot hole required
- 1/32\" to 3/8\" grip range

DESCRIPTION				PRICED PER 1000
PART #	TYPE	CARTON SIZE	WEIGHT / 1000	PRICE
#2606	Bulb Tite Rivet	1,000	15.00#	✓

Concealed Fastener Wall Panel Fasteners - Exposed Surface Fastener



1/4\"-14 x A\" TEK3
3/8\" Hex Washer Head w/ Washer

Note:

- Use to surface-fasten wall panels into 16-12 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required
- Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH \"A\"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1124	3"	3/8"	2"	500	38.00#	✓	✓ ‡
#1132	4"	3/8"	2 1/2\" & 3"	300	48.00#	✓	✓ ‡
#1140	5"	3/8"	4"	300	58.00#	✓	✓ ‡
#1148	6"	3/8"	5"	250	68.00#	✓	✓ ‡
#1156	7"	3/8"	6"	250	78.00#	✓	✓ ‡
#1180	10"	3/8"	7\" & 8"	200	109.50#	✓	✓ ‡

Concealed Fastener Wall Panel Fasteners - Exposed Surface Fastener




1/4\"-14 x A\" TEK5
3/8\" Hex Washer Head w/ 5/8\" O.D. Washer

Note:

- Use to surface-fasten wall panels into 3/16\" - 1/2\" steel
- This Fastener can be purchased in any quantity - increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH \"A\"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1232	4"	3/8"	2"	500	50.00#	✓	✓ ‡
#1240	5"	3/8"	2 1/2\" & 3"	300	72.00#	✓	✓ ‡
#1248	6"	3/8"	4"	250	76.00#	✓	✓ ‡
#1256	7"	3/8"	5"	250	80.00#	✓	✓ ‡
#1264	8"	3/8"	6"	200	84.00#	✓	✓ ‡
#1280	10"	3/8"	7\" & 8"	200	92.00#	✓	✓ ‡

Concealed Fastener Wall Panel Fasteners - Exposed Surface Fastener




1/4\"-14 x A\" Type B
5/16\" Hex Washer Head w/ 5/8\" O.D. Washer

Note:

- Use to surface-fasten wall panels into structural steel - Any thickness
- This Fastener can be purchased in any quantity - Increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1324	3"	3/8"	2"	750	32.00#	✓	✓ ‡
#1332	4"	3/8"	2 1/2" & 3"	500	35.00#	✓	✓ ‡
#1340	5"	3/8"	4"	300	39.00#	✓	✓ ‡
#1348	6"	3/8"	5"	250	43.00#	✓	✓ ‡
#1364	8"	3/8"	6"	200	53.00#	✓	✓ ‡

Concealed Fastener Wall Panel Fasteners - Exposed Surface Fastener




1/4\"-14 x A\" Type B 304 Stainless
3/8\" Hex Washer Head w/ 5/8\" O.D. Washer

Note:

- Use to surface-fasten wall panels into structural steel - Any thickness
- This Fastener can be purchased in any quantity - Increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1324S	3"	3/8"	2"	1,000	32.00#	✓	✓ ‡
#1332S	4"	3/8"	2 1/2" & 3"	500	35.00#	✓	✓ ‡
#1340S	5"	3/8"	4"	300	39.00#	✓	✓ ‡
#1348S	6"	3/8"	5"	250	43.00#	✓	✓ ‡
#1364S	8"	3/8"	6"	200	51.00#	✓	✓ ‡

Concealed Fastener Wall Panel Fasteners - Flat Surface Fastener




1/4\"-14 x A\" TEK3
#3 Recessed Square Drive Flat Head

Note:

- Use to surface-fasten wall panels behind flat trim - 16-12 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION							PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1416	2"	#3 Recessed Square Drive	N/A	Driller	1,000	23.00#	✓
#1424	3"	#3 Recessed Square Drive	2"	Driller	1,000	23.00#	✓
#1432	4"	#3 Recessed Square Drive	2 1/2" & 3"	Driller	1,000	28.00#	✓
#1440	5"	#3 Recessed Square Drive	4"	Driller	1,000	36.00#	✓
#1448	6"	#3 Recessed Square Drive	5"	Driller	1,000	36.00#	✓
#1464	8"	#3 Recessed Square Drive	6" & 7"	Driller	1,000	38.00#	✓

Concealed Fastener Wall Panel Fasteners - Flat Surface Fastener




12-24 X 7³/₄" TEK4

Note:

- Use to surface-fasten wall panels behind flat trim - 16-12 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION							PRICED PER 1000
PART #	LENGTH	HEAD SIZE	PANEL THICKNESS	TYPE	QUANTITY	WEIGHT / 1000	PLATED
#2062	7 ³ / ₄ "	#3	6" & 7"	Driller	1,000	38.00#	✓

Concealed Fastener Wall Panel Fasteners - Flat Surface Fastener




1/4" - 20 x 9³/₄" TEK4
T-30 - 6 Lobe Drive Flat Head

Note:

- Use to surface-fasten wall panels behind flat trim - 16-12 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION							PRICED PER 1000
PART #	LENGTH	HEAD SIZE	PANEL THICKNESS	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1478	9 ³ / ₄ "	T-30 6 Lobe Drive	8"	Driller	250	25.20#	✓

Concealed Fastener Wall Panel Fasteners - Clip Fastener




1/4" - 14 x A" TEK3
5/16" Hex Washer Head

Note:

- Clip fastener for wall panels when attaching to 16-12 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION						PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1616	2"	3/8"	2"	1,500	20.00#	✓
#1624	3"	3/8"	2 1/2" & 3"	500	32.00#	✓
#1632	4"	3/8"	4"	500	35.00#	✓
#1640	5"	3/8"	5"	500	39.00#	✓
#1648	6"	3/8"	6"	500	43.00#	✓

Concealed Fastener Wall Panel Fasteners - Clip Fastener




1/4\"-28 x A\" TEK5
5/16\" Hex Washer Head

Note:

- Clip fastener for wall panels when attaching to structural steel up to 1/2\" thick.
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION						PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1724	3"	3/8"	2"	500	33.00#	✓
#1732	4"	3/8"	2 1/2" & 3"	500	37.00#	✓
#1740	5"	3/8"	4"	300	41.00#	✓
#1748	6"	3/8"	5"	300	45.20#	✓
#1756	7"	3/8"	6"	300	57.00#	✓

Concealed Fastener Wall Panel Fasteners - Clip Fastener




1/4\"-14 x A\" Type B
3/8\" Hex Washer Head

Note:

- Clip fastener for wall panels when attaching to structural steel - Any thickness.
- This Fastener can be purchased in any quantity - Increments of 250 are not required.

DESCRIPTION						PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1816	2"	3/8"	2"	1,000	20.00#	✓
#1824	3"	3/8"	2 1/2" & 3"	750	31.00#	✓
#1832	4"	3/8"	4"	500	34.00#	✓
#1840	5"	3/8"	5"	500	38.00#	✓
#1848	6"	3/8"	6"	300	42.00#	✓

Concealed Fastener Wall Panel Fasteners - Clip Fastener




1/4\"-14 x A\" Type B 304 Stainless
3/8\" Hex Washer Head

Note:

- Clip fastener for wall panels when attaching to structural steel - Any thickness.
- This Fastener can be purchased in any quantity - Increments of 250 are not required.

DESCRIPTION						PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1816S	2"	3/8"	2"	1,000	20.00#	✓
#1824S	3"	3/8"	2 1/2" & 3"	1,000	31.00#	✓
#1832S	4"	3/8"	4"	500	34.00#	✓
#1840S	5"	3/8"	5"	500	38.00#	✓
#1848S	6"	3/8"	6"	300	42.00#	✓

LS-36™ Panel Wall Fasteners - Face Fasten - Panel Flat




1/4"-14 x A" TEK3
3/8" Hex Washer Head w/ Washer

Note:

- This Fastener can be purchased in any quantity - Increments of 250 are not required
- Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1124	3"	3/8"	2"	500	38.00#	✓	✓ ‡
#1132	4"	3/8"	2 1/2" & 3"	300	48.00#	✓	✓ ‡
#1140	5"	3/8"	4"	300	58.00#	✓	✓ ‡
#1148	6"	3/8"	5"	250	68.00#	✓	✓ ‡
#1156	7"	3/8"	6"	250	78.00#	✓	✓ ‡

LS-36™ Panel Wall Fasteners - Exposed Surface Fastener




1/4"-14 x A" TEK5
3/8" Hex Washer Head w/ 5/8" O.D. Washer

Note:

- Use to surface-fasten wall panels into 3/16" - 1/2" steel
- This Fastener can be purchased in any quantity - increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1232	4"	3/8"	2"	500	50.00#	✓	✓ ‡
#1240	5"	3/8"	2 1/2" & 3"	300	72.00#	✓	✓ ‡
#1248	6"	3/8"	4"	250	76.00#	✓	✓ ‡
#1256	7"	3/8"	5"	250	80.00#	✓	✓ ‡
#1264	8"	3/8"	6"	200	84.00#	✓	✓ ‡

LS-36™ Panel Wall Fasteners - Face Fasten - Panel Flat




1/4"-14 x A" Type B 304 Stainless
3/8" Hex Washer Head w/ 5/8" O.D. Washer

Note:

- Alternate fastener used to fasten 1 1/2" and 2" wall panels into steel - Any thickness, minimum 16 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#1324S	3"	3/8"	1 1/2" & 2"	1,000	32.00#	✓	✓ ‡
#1332S	4"	3/8"	2 1/2" & 3"	500	35.00#	✓	✓ ‡
#1340S	5"	3/8"	4"	300	39.00#	✓	✓ ‡
#1348S	6"	3/8"	5"	250	43.00#	✓	✓ ‡
#1364S	8"	3/8"	6"	200	51.00#	✓	✓ ‡

LS-36™ Panel Roof Fasteners - Face Fasten - Panel Rib




Note:

- Use to fasten roof panels into steel - Any thickness, minimum 16 gauge
- This Fastener can be purchased in any quantity - Increments of 250 are not required
- ‡ Add \$25.00 paint set up charge for Sig. 300 and special colors

DESCRIPTION						PRICED PER 1000	
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED	PAINTED
#2332S	4"	3/8"	1 1/2" & 2"	500	42.30#	✓	✓ ‡
#2340S	5"	3/8"	2 1/2" & 3"	300	47.80#	✓	✓ ‡
#2348S	6"	3/8"	4"	250	51.60#	✓	✓ ‡
#2364S	8"	3/8"	5" & 6"	200	62.90#	✓	✓ ‡

CFR Fasteners - Clip Fastener




Note:

- (2) fasteners per roof clip.
- Factory Mutual Requirements: (3) fasteners per roof clip when attached to support members less than 12 gauge
- Use in 16 gauge - 12 gauge steel
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1616	3/8"	Driller	1,500	20.00#	✓

CFR Fasteners - Clip Fastener



Note:

- To insure that the fastener fits in the joint, a screw without a washer is used.

Use:

- (2) fasteners per roof clip.
 - Use in structural steel up to 1/2" thick.
- This Fastener can be purchased in any quantity - Increments of 250 are not required

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1724	5/16"	Driller	750	33.00#	✓

CFR Fasteners - Clip Fastener



1/4\"-14 x 2\" Type B
w/o Washer

Note:

- This Fastener can be purchased in any quantity - Increments of 250 are not required.


Use: Optional fastener to #1616 and #1724 series.

Pilot Hole: The proper sizing of the pilot holes drilled in different gauge steel is critical for self tapping screws

Limitations: 1/16\" to 1/2\" thick.

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1816	3/8"	B	1,000	20.00#	✓

CFR Fasteners - Clip Fastener



1/4\"-14 x 2\" Type B 304 Stainless
w/o Washer

Note:

- This Fastener can be purchased in any quantity - Increments of 250 are not required.

Stainless: Stainless is provided based on customer requirements, primarily when the panels will be installed in a corrosive environment (costal location, exposure to chemicals, etc.).

Use: Optional fastener to #1616 and #1724 series.

Pilot Hole: The proper sizing of the pilot holes drilled in different gauge steel is critical for self tapping screws

Limitations: 1/16\" to 1/2\" thick.

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	TYPE	CARTON SIZE	WEIGHT / 1000	PLATED
#1816S	3/8"	B	1,000	20.00#	✓

CFR Fasteners - Through Panel Fastener



1/4\"-14 x A\" TEK3
3/8\" Hex Washer Head w/ Washer

Note:

- This Fastener can be purchased in any quantity - Increments of 250 are not required

Use:

- Thru-Panel fasteners with washers are used to attach the panels to the supports from the exterior face. The washer provides a seal where the fastener penetrates the panel, and they are typically placed at the low point of the mesa pattern.
- CFR Rake Through Panel Fastener.

DESCRIPTION						PRICED PER 1000
PART #	LENGTH \"A\"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1124	3"	3/8"	2"	500	38.00#	✓
#1132	4"	3/8"	2 1/2\" & 3"	300	48.00#	✓
#1140	5"	3/8"	4"	300	58.00#	✓
#1148	6"	3/8"	5"	250	68.00#	✓
#1156	9"	3/8"	6"	200	78.00#	✓

CFR Fasteners - Through Panel Fastener



1/4"-14 x A" HWH
w/ Washer

Note:


- This Fastener can be purchased in any quantity - increments of 250 are not required

Use:

1. Thru-Panel fasteners with washers are used to attach the panels to the supports from the exterior face. The washer provides a seal where the fastener penetrates the panel, and they are typically placed at the low point of the mesa pattern.
2. CFR Rake Through Panel Fastener.

DESCRIPTION						PRICED PER 1000
PART #	LENGTH "A"	HEAD SIZE	PANEL THICKNESS	CARTON SIZE	WEIGHT / 1000	PLATED
#1232	4"	3/8"	2"	500	50.00#	✓
#1240	5"	3/8"	2 1/2" & 3"	300	72.00#	✓
#1248	6"	3/8"	4"	250	76.00#	✓
#1256	7"	3/8"	5"	250	80.00#	✓
#1264	8"	3/8"	6"	200	84.00#	✓

CFR Fasteners - Outside Closure Fastener




12-14 x 1" TEK3

Note:

- Fasteners sold in quantities of 250 only
- **Use:** Fastener is used at the ridge and high eave closures.

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	MATERIAL	CARTON SIZE	WEIGHT / 1000	PLATED
#17	5/16"	Carbon Steel	2,500	13.00#	✓

Horizontal Slide Window w/ Half Screen (Clear Insulated)




DESCRIPTION					PRICED PER EACH
PART #	SIZE	PANEL THICKNESS	COLOR	WEIGHT EACH	PRICE
HW-8010-20CL	3030	2"	Bronze	65.00#	✓
HW-8010-25CL	3030	2½"	Bronze	65.00#	✓
HW-8010-30CL	3030	3"	Bronze	65.00#	✓
HW-8012-20CL	4030	2"	Bronze	75.00#	✓
HW-8012-25CL	4030	2½"	Bronze	75.00#	✓
HW-8012-30CL	4030	3"	Bronze	75.00#	✓

Horizontal Slide Window w/ Half Screen (Low E Insulated)

DESCRIPTION					PRICED PER EACH
PART #	SIZE	PANEL THICKNESS	COLOR	WEIGHT EACH	PRICE
HW-8010-20LE	3030	2"	Bronze	65.00#	✓
HW-8010-25LE	3030	2½"	Bronze	65.00#	✓
HW-8010-30LE	3030	3"	Bronze	65.00#	✓
HW-8012-20LE	4030	2"	Bronze	75.00#	✓
HW-8012-25LE	4030	2½"	Bronze	75.00#	✓
HW-8012-30LE	4030	3"	Bronze	75.00#	✓

Concealed Fastener Wall Panel

Inside Corner Trim - Flat




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT	
PART #	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5140	2", 2 1/2", 3", 4", 5" and 6"	6"	26	.52#	✓	✓
			24	.65#	✓	✓
			22	.83#	✓	✓

Inside Corner Trim - Offset




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT	
PART #	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3215	2", 2 1/2", 3", 4", 5" and 6"	10 1/2"	26	.68#	✓	✓
			24	.85#	✓	✓
			22	1.09#	✓	✓

Concealed Fastener Wall Panel

Outside Corner Trim - Flat




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5102	4"	2"	9"	26	.58#	✓	✓
F-5103	4½"	2½"	10"	24	.81#	✓	✓
F-5104	5"	3"	11"	22	1.14#	✓	✓
F-5101	6"	4"	13"	26	.84#	✓	✓
F-5124	7"	5"	15"	24	1.22#	✓	✓
F-5125	8"	6"	17"	22	1.76#	✓	✓

Outside Corner Trim - Offset




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3220	5"	2", 2½" and 3"	14½"	26	.94#	✓	✓
				24	1.18#	✓	✓
				22	1.50#	✓	✓
F-3225	6"	4", 5" and 6"	16½"	26	1.07#	✓	✓
				24	1.34#	✓	✓
				22	1.71#	✓	✓

Concealed Fastener Wall Panel

Head Trim




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.
- For use at doors, windows and louvers.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3240	2 1/2"	2"	7 1/2"	26	.49#	✓	✓
				24	.61#	✓	✓
				22	.78#	✓	✓
F-3241	3"	2 1/2"	8"	26	.52#	✓	✓
				24	.65#	✓	✓
				22	.83#	✓	✓
F-3242	3 1/2"	3"	8 1/2"	26	.55#	✓	✓
				24	.69#	✓	✓
				22	.88#	✓	✓
F-3243	4 1/2"	4"	9 1/2"	26	.62#	✓	✓
				24	.77#	✓	✓
				22	.98#	✓	✓
F-3245	5 1/2"	5"	10 1/2"	26	.68#	✓	✓
				24	.85#	✓	✓
				22	1.09#	✓	✓
F-3246	6 1/2"	6"	11 1/2"	26	.75#	✓	✓
				24	.94#	✓	✓
				22	1.19#	✓	✓

Jamb Trim - Flat




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3249	6"	2", 2 1/2", 3" and 4"	9 1/2"	26	.62#	✓	✓
				24	.77#	✓	✓
				22	.98#	✓	✓
F-3248	8"	5" and 6"	11 1/2"	26	.75#	✓	✓
				24	.94#	✓	✓
				22	1.19#	✓	✓

Concealed Fastener Wall Panel

Stack Joint Trim



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4080	1"	2"	11"	26	.71#	✓	✓
				24	.90#	✓	✓
				22	1.14#	✓	✓
F-4082	1 1/2"	2 1/2"	11 1/2"	26	.75#	✓	✓
				24	.94#	✓	✓
				22	1.19#	✓	✓
F-4084	2"	3"	12"	26	.78#	✓	✓
				24	.98#	✓	✓
				22	1.24#	✓	✓
F-4086	3"	4"	13"	26	.84#	✓	✓
				24	1.06#	✓	✓
				22	1.34#	✓	✓
F-4090	4"	5"	14"	26	.97#	✓	✓
				24	1.14#	✓	✓
				22	1.45#	✓	✓
F-4092	5"	6"	15"	26	.97#	✓	✓
				24	1.22#	✓	✓
				22	1.55#	✓	✓

Concealed Fastener Wall Panel

Optional Jamb Trim - Flat




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5448	2 1/8"	2"	5 1/8"	26	.33#	✓	✓
				24	.42#	✓	✓
				22	.53#	✓	✓
F-5450	2 5/8"	2 1/2"	5 5/8"	26	.33#	✓	✓
				24	.46#	✓	✓
				22	.58#	✓	✓
F-5452	3 1/8"	3"	6 1/8"	26	.40#	✓	✓
				24	.50#	✓	✓
				22	.63#	✓	✓
F-5454	4 1/8"	4"	7 1/8"	26	.46#	✓	✓
				24	.58#	✓	✓
				22	.74#	✓	✓
F-5456	5 1/8"	5"	8 1/8"	26	.53#	✓	✓
				24	.66#	✓	✓
				22	.84#	✓	✓
F-5458	6 1/8"	6"	9 1/8"	26	.59#	✓	✓
				24	.74#	✓	✓
				22	.94#	✓	✓

Jamb Trim - Offset




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3250	6"	2", 2 1/2", 3" and 4"	10 1/4"	26	.66#	✓	✓
				24	.83#	✓	✓
				22	1.06#	✓	✓
F-3270	9"	5" and 6"	13 1/4"	26	.86#	✓	✓
				24	1.08#	✓	✓
				22	1.37#	✓	✓

Concealed Fastener Wall Panel

Optional Jamb Trim - Offset



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5414	2 ⁷ / ₁₆ "	2"	6 ¹⁵ / ₁₆ "	26	.45#	✓	✓
				24	.56#	✓	✓
				22	.72#	✓	✓
F-5415	2 ¹⁵ / ₁₆ "	2 ¹ / ₂ "	7 ⁷ / ₁₆ "	26	.48#	✓	✓
				24	.61#	✓	✓
				22	.77#	✓	✓
F-5419	3 ⁷ / ₁₆ "	3"	7 ¹⁵ / ₁₆ "	26	.51#	✓	✓
				24	.65#	✓	✓
				22	.82#	✓	✓
F-5421	4 ⁷ / ₁₆ "	4"	8 ¹⁵ / ₁₆ "	26	.58#	✓	✓
				24	.73#	✓	✓
				22	.92#	✓	✓
F-5423	5 ⁷ / ₁₆ "	5"	9 ¹⁵ / ₁₆ "	26	.64#	✓	✓
				24	.81#	✓	✓
				22	1.03#	✓	✓
F-5425	6 ⁷ / ₁₆ "	6"	10 ¹⁵ / ₁₆ "	26	.71#	✓	✓
				24	.89#	✓	✓
				22	1.13#	✓	✓

Concealed Fastener Wall Panel

Base Trim - Vertical Wall Panels



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4001	5/8"	2"	7 1/8"	26	.46#	✓	✓
				24	.58#	✓	✓
				22	.74#	✓	✓
F-4013	1 1/8"	2 1/2"	7 5/8"	26	.49#	✓	✓
				24	.62#	✓	✓
				22	.79#	✓	✓
F-4034	1 5/8"	3"	8 1/8"	26	.53#	✓	✓
				24	.66#	✓	✓
				22	.84#	✓	✓
F-4050	2 5/8"	4"	9 1/8"	26	.59#	✓	✓
				24	.74#	✓	✓
				22	.94#	✓	✓
F-4022	3 5/8"	5"	10 1/8"	26	.66#	✓	✓
				24	.82#	✓	✓
				22	1.05#	✓	✓
F-4023	4 5/8"	6"	11 1/8"	26	.72#	✓	✓
				24	.91#	✓	✓
				22	1.15#	✓	✓

Concealed Fastener Wall Panel

Base Trim - Horizontal Wall Panels




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3260	2 1/2"	2"	7 1/2"	26	.49#	✓	✓
				24	.61#	✓	✓
				22	.78#	✓	✓
F-3261	3"	2 1/2"	8"	26	.52#	✓	✓
				24	.65#	✓	✓
				22	.83#	✓	✓
F-3262	3 1/2"	3"	8 1/2"	26	.55#	✓	✓
				24	.69#	✓	✓
				22	.88#	✓	✓
F-3263	4 1/2"	4"	9 1/2"	26	.62#	✓	✓
				24	.77#	✓	✓
				22	.98#	✓	✓
F-3265	5 1/2"	5"	10 1/2"	26	.68#	✓	✓
				24	.85#	✓	✓
				22	1.09#	✓	✓
F-3266	6 1/2"	6"	11 1/2"	26	.75#	✓	✓
				24	.94#	✓	✓
				22	1.19#	✓	✓

Angle Trim




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0" and 14'-0" lengths.

DESCRIPTION				PRICED PER LINEAR FOOT	
PART #	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3369	2 1/4"	24	.18#	✓	✓

Concealed Fastener Wall Panel

Sill Trim - Flat



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5501	2 ¹ / ₁₆ "	2"	8 ⁷ / ₁₆ "	26	.55#	✓	✓
				24	.69#	✓	✓
				22	.87#	✓	✓
F-5503	2 ⁹ / ₁₆ "	2 ¹ / ₂ "	8 ¹⁵ / ₁₆ "	26	.58#	✓	✓
				24	.73#	✓	✓
				22	.92#	✓	✓
F-5507	3 ¹ / ₁₆ "	3"	9 ⁷ / ₁₆ "	26	.61#	✓	✓
				24	.77#	✓	✓
				22	.98#	✓	✓
F-5509	4 ¹ / ₁₆ "	4"	10 ⁷ / ₁₆ "	26	.68#	✓	✓
				24	.85#	✓	✓
				22	1.08#	✓	✓
F-4024	5 ¹ / ₁₆ "	5"	11 ⁷ / ₁₆ "	26	.74#	✓	✓
				24	.93#	✓	✓
				22	1.18#	✓	✓
F-4025	6 ¹ / ₁₆ "	6"	12 ⁷ / ₁₆ "	26	.81#	✓	✓
				24	1.01#	✓	✓
				22	1.29#	✓	✓

Concealed Fastener Wall Panel

Sill Trim - Offset



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5514	2 ⁷ / ₁₆ "	2"	10 ⁷ / ₁₆ "	26	.68#	✓	✓
				24	.85#	✓	✓
				22	1.08#	✓	✓
F-5515	2 ¹⁵ / ₁₆ "	2 ¹ / ₂ "	10 ¹⁵ / ₁₆ "	26	.71#	✓	✓
				24	.89#	✓	✓
				22	1.13#	✓	✓
F-5519	3 ⁷ / ₁₆ "	3"	11 ⁷ / ₁₆ "	26	.74#	✓	✓
				24	.93#	✓	✓
				22	1.18#	✓	✓
F-5521	4 ⁷ / ₁₆ "	4"	12 ⁷ / ₁₆ "	26	.87#	✓	✓
				24	1.01#	✓	✓
				22	1.29#	✓	✓
F-5523	5 ⁷ / ₁₆ "	5"	13 ⁷ / ₁₆ "	26	.87#	✓	✓
				24	1.09#	✓	✓
				22	1.39#	✓	✓
F-5525	6 ⁷ / ₁₆ "	6"	14 ⁷ / ₁₆ "	26	.94#	✓	✓
				24	1.17#	✓	✓
				22	1.49#	✓	✓

LS-36™ Panel Wall Panel

Inside Corner Trim - Flat




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT	
PART #	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5140	1 1/2", 2", 2 1/2", 3", 4", 5", and 6"	8"	26	.52#	✓	✓

Inside Corner Trim - Offset




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT	
PART #	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3219	1 1/2", 2", 2 1/2", 3", 4", 5" and 6"	16 3/4"	26	1.09#	✓	✓

Outside Corner Trim - Offset




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER LINEAR FOOT	
PART #	DIM "A"	DIM "B"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3229	5"	6¾"	1½" - 3"	17¾"	26	1.15#	✓	✓
F-3231	8¼"	10"	4" - 6"	24¼"	26	1.57#	✓	✓

LS-36™ Panel Wall Panel

Head Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.
- For use at doors, windows and louvers.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3241	3"	1 1/2"	8"	26	.52#	✓	✓
F-3242	3 1/2"	3"	8 1/2"	26	.55#	✓	✓
F-3244	4"	2 1/2"	9"	26	.58#	✓	✓
F-3243	4 1/2"	3"	9 1/2"	26	.62#	✓	✓
F-3245	5 1/2"	4"	10 1/2"	26	.68#	✓	✓
F-3246	6 1/2"	5"	11 1/2"	26	.75#	✓	✓
F-3247	7 1/2"	6"	12 1/2"	26	.81#	✓	✓

Sill Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4052	2 13/16"	1 1/2"	9 3/16"	26	.60#	✓	✓
F-4054	3 5/16"	2"	9 11/16"	26	.63#	✓	✓
F-4056	3 13/16"	2 1/2"	10 3/16"	26	.66#	✓	✓
F-4058	4 5/16"	3"	10 11/16"	26	.69#	✓	✓
F-4060	5 5/16"	4"	11 11/16"	26	.76#	✓	✓
F-4062	6 5/16"	5"	12 11/16"	26	.82#	✓	✓
F-4064	7 5/16"	6"	12 1/2"	26	.89#	✓	✓

LS-36™ Panel Wall Panel

Jamb Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4036	2 ⁷ / ₈ "	1 ¹ / ₂ "	6 ⁷ / ₈ "	26	.45#	✓	✓
F-4038	3 ³ / ₈ "	2"	7 ³ / ₈ "	26	.48#	✓	✓
F-4040	3 ⁷ / ₈ "	2 ¹ / ₂ "	7 ⁷ / ₈ "	26	.51#	✓	✓
F-4042	4 ³ / ₈ "	3"	8 ³ / ₈ "	26	.54#	✓	✓
F-4044	5 ³ / ₈ "	4"	9 ³ / ₈ "	26	.61#	✓	✓
F-4046	6 ³ / ₈ "	5"	10 ³ / ₈ "	26	.67#	✓	✓
F-4047	7 ³ / ₈ "	6"	11 ³ / ₈ "	26	.74#	✓	✓

Jamb Filler Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0" and 14'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT	
PART #	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4048	All	3 ³ / ₈ "	26	.45#	✓	✓

LS-36™ Panel Wall Panel

Base Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-5060	3"	1 1/2"	7 1/4"	26	.47#	✓	✓
F-5005	3 1/2"	2"	7 3/4"	26	.50#	✓	✓
F-5017	4"	2 1/2"	8 1/4"	26	.54#	✓	✓
F-5036	4 1/2"	3"	8 3/4"	26	.57#	✓	✓
F-5055	5 1/2"	4"	9 3/4"	26	.63#	✓	✓
F-4026	6 1/2"	5"	10 3/4"	26	.70#	✓	✓
F-4027	7 1/2"	6"	11 3/4"	26	.76#	✓	✓

Stack Joint Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-4068	3 3/8"	1 1/2"	11 1/8"	26	.72#	✓	✓
F-4070	3 7/8"	2"	11 5/8"	26	.75#	✓	✓
F-4072	4 3/8"	2 1/2"	12 1/8"	26	.79#	✓	✓
F-4074	4 7/8"	3"	12 5/8"	26	.82#	✓	✓
F-4076	5 7/8"	4"	13 5/8"	26	.88#	✓	✓
F-4094	6 7/8"	5"	14 5/8"	26	.95#	✓	✓
F-4096	7 7/8"	6"	15 5/8"	26	1.01#	✓	✓

LS-36™ Panel Wall Panel

Drip Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.
- For use at masonry, EFIS and curtain walls.

DESCRIPTION						PRICED PER LINEAR FOOT	
PART #	DIM "A"	PANEL THICKNESS	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	SIGNATURE® 300
F-3290	3"	1 1/2"	10 5/8"	26	.69#	✓	✓
F-3291	3 1/2"	2"	11 5/8"	26	.75#	✓	✓
F-3292	4"	2 1/2"	12 5/8"	26	.82#	✓	✓
F-3293	4 1/2"	3"	13 5/8"	26	.88#	✓	✓
F-3294	5 1/2"	4"	15 5/8"	26	1.01#	✓	✓
F-3295	6 1/2"	5"	17 5/8"	26	1.14#	✓	✓
F-3296	7 1/2"	6"	19 5/8"	26	1.27#	✓	✓

LS-36™ Panel Roof Panel

Sculptured Hang-On Gutter




Note:

- Specify roof slope
- Additional charges will apply for mitered trim - Specify left or right
- Trim is 26 gauge and smooth as standard
- Use with F-3485 and F-3486 eave trim
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION								PRICED PER LINEAR FOOT		
PART #	DIM "A"	DIM "B"	DIM "C"	ROOF THICKNESS	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3462	4"	6 1/2"	6 5/8"	1 1/2" - 4"	23 1/8"	1/2 - 2:12	1.50#	✓	✓	✓
	4"	6 1/4"	6 7/8"	1 1/2" - 4"	23 1/8"	3 - 4:12	1.50#	✓	✓	✓
F-3464	5 1/4"	6 5/8"	9 1/16"	5" - 6"	28 3/16"	1/2 - 2:12	1.83#	✓	✓	✓
	5 1/4"	6 1/4"	9 7/16"	5" - 6"	28 3/16"	3-4:12	1.83#	✓	✓	✓

Gutter Ends (Left/Right)




Note:

- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number

DESCRIPTION				PRICED PER EACH		
PART #	USE WITH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
F-3160	F-3462	.41#	✓	✓	✓	
F-3161	F-3464	.59#	✓	✓	✓	


Gutter Strap



DESCRIPTION						PRICED PER EACH
PART #	LENGTH	GIRTH	GAUGE	WEIGHT EACH	SIGNATURE® 200	
F-893	1'-10"	3"	26	.23#	✓	

LS-36™ Panel Roof Panel

Sculptured Rake




Note:

- Additional charges will apply for mitered trim - Specify left or right
- Trim is 26 gauge and smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER EACH		
PART #	DIM "A"	DIM "B"	ROOF THICKNESS	WALL THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3481	11"	4"	1 1/2" - 4"	1 1/2" - 3"	24 3/4"	1.61#	✓	✓	✓
F-3482	11"	5 1/4"	5" - 6"	1 1/2" - 3"	27 1/4"	1.77#	✓	✓	✓
F-3483	13"	4"	1 1/2" - 4"	4" - 6"	26 3/4"	1.73#	✓	✓	✓
F-3484	13"	5 1/4"	5" - 6"	4" - 6"	29 1/4"	1.90#	✓	✓	✓

Rake Trim End Cap




Note:

- End Caps will be made to fit rake ordered
- Specify left or right
- Specify rake part number

DESCRIPTION			PRICED PER EACH		
PART #	USE WITH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3451		.30#	✓	✓	✓

Sculptured High Side Eave




Note:

- Specify roof slope
- Additional charges will apply for mitered trim - Specify left or right
- Trim is 26 gauge and smooth as standard
- Use with FL-16 Sculptured Rake
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER EACH		
PART #	DIM "A"	DIM "B"	ROOF THICKNESS	WALL THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3457	13 1/2"	4"	1 1/2" - 4"	4" - 6"	26 5/8"	1.73#	✓	✓	✓
F-3458	11"	5 1/4"	5" - 6"	1 1/2" - 3"	26 5/8"	1.73#	✓	✓	✓
F-3471	11"	4"	1 1/2" - 4"	1 1/2" - 3"	24 1/8"	1.56#	✓	✓	✓
F-3472	13 1/2"	5 1/4"	5" - 6"	4" - 6"	29 1/8"	1.89#	✓	✓	✓

LS-36™ Panel Roof Panel

Parapet High Eave Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3490	3"	1 1/2"	12 1/4"	26	.79#	✓	✓	✓
F-3491	3 1/2"	2"	12 3/4"	26	.83#	✓	✓	✓
F-3492	4"	2 1/2"	13 1/4"	26	.86#	✓	✓	✓
F-3493	4 1/2"	3"	13 3/4"	26	.89#	✓	✓	✓
F-3494	5 1/2"	4"	14 3/4"	26	.96#	✓	✓	✓
F-3495	6 1/2"	5"	15 3/4"	26	1.02#	✓	✓	✓
F-3496	7 1/2"	6"	16 3/4"	26	1.09#	✓	✓	✓

Parapet Rake Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3760	3"	1 1/2"	12 1/2"	26	.81#	✓	✓	✓
F-3761	3 1/2"	2"	13"	26	.84#	✓	✓	✓
F-3762	4"	2 1/2"	13 1/2"	26	.88#	✓	✓	✓
F-3763	4 1/2"	3"	14"	26	.91#	✓	✓	✓
F-3764	5 1/2"	4"	15"	26	.97#	✓	✓	✓
F-3765	6 1/2"	5"	16"	26	1.04#	✓	✓	✓
F-3766	7 1/2"	6"	17"	26	1.10#	✓	✓	✓

LS-36™ Panel Roof Panel

Low Eave Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3454	7 ⁷ / ₈ "	1 ¹ / ₂ ", 2", 2 ¹ / ₂ ", 3" and 4"	13 ¹ / ₂ "	26	.88#	✓	✓	✓
F-3453	10 ³ / ₈ "	5" and 6"	16"	26	1.04#	✓	✓	✓

LS-36™ Panel Rake Zee




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0" and 14'-0" lengths.

DESCRIPTION				PRICED PER LINEAR FOOT		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3469	4 ³ / ₄ "	26	.31#	✓	✓	✓

Interior Transition Trim




Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION						PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3412	9"	1 ¹ / ₂ " - 3"	14"	26	.91#	✓	✓	✓
F-3413	12"	4" - 6"	17"	26	1.10#	✓	✓	✓

LS-36™ Panel Roof Panel

Exterior Ridge Trim



Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION				PRICED PER LINEAR FOOT		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3445	13"	26	.84#	✓	✓	✓

Interior Ridge Trim




Note:

- Trim is embossed as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION				PRICED PER LINEAR FOOT		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3450	27"	26	1.75#	✓	✓	✓

Valley Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION				PRICED PER LINEAR FOOT		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3502	27"	26	1.75#	✓	✓	✓

CFR Panel

High Eave Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3340	3 1/2"	2" - 3"	17 1/16"	1.39#	✓	✓	✓
F-3341	5 1/2"	4" - 5"	19 1/16"	1.55#	✓	✓	✓
F-3342	6 1/2"	6"	20 1/16"	1.63#	✓	✓	✓

Rake Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER LINEAR FOOT		
PART #	DIM "A"	DIM "B"	ROOF THICKNESS	WALL THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3430	3 1/2"	7"	2" - 3"	2" - 3"	17 5/8"	1.43#	✓	✓	✓
F-3431	5 1/2"	7"	4" - 5"	2" - 3"	19 5/8"	1.60#	✓	✓	✓
F-3432	6 1/2"	7"	6"	2" - 3"	20 5/8"	1.68#	✓	✓	✓
F-3433	3 1/2"	9"	2" - 3"	4" - 5"	19 5/8"	1.60#	✓	✓	✓
F-3434	5 1/2"	9"	4" - 5"	4" - 5"	21 5/8"	1.76#	✓	✓	✓
F-3435	6 1/2"	9"	6"	4" - 5"	22 5/8"	1.84#	✓	✓	✓
F-3436	3 1/2"	10"	2" - 3"	6"	20 5/8"	1.68#	✓	✓	✓
F-3437	5 1/2"	10"	4" - 5"	6"	22 5/8"	1.84#	✓	✓	✓
F-3438	6 1/2"	10"	6"	6"	23 5/8"	1.92#	✓	✓	✓

CFR Panel

Parapet High Eave Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT		
PART #	DIM "A"	WALL THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3770	5/8"	2"	15 7/8"	1.29#	✓	✓	✓
F-3771	1 1/8"	2 1/2"	16 3/8"	1.33#	✓	✓	✓
F-3773	1 5/8"	3"	16 7/8"	1.37#	✓	✓	✓
F-3774	2 5/8"	4"	17 7/8"	1.45#	✓	✓	✓
F-3775	3 5/8"	5"	18 7/8"	1.54#	✓	✓	✓
F-3776	4 5/8"	6"	19 7/8"	1.62#	✓	✓	✓

Parapet Rake Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT		
PART #	DIM "A"	WALL THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3790	5/8"	2"	12 3/8"	1.01#	✓	✓	✓
F-3791	1 1/8"	2 1/2"	12 7/8"	1.05#	✓	✓	✓
F-3793	1 5/8"	3"	13 3/8"	1.09#	✓	✓	✓
F-3794	2 5/8"	4"	14 3/8"	1.17#	✓	✓	✓
F-3795	3 5/8"	5"	15 3/8"	1.25#	✓	✓	✓
F-3796	4 5/8"	6"	16 3/8"	1.33#	✓	✓	✓

CFR Panel

Parapet Reglet




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0" and 14'-0" lengths.

DESCRIPTION			PRICED PER LINEAR FOOT		
PART #	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-5909	4"	.33#	✓	✓	✓

CFR Rake Zee




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION			PRICED PER LINEAR FOOT		
PART #	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3444	5 1/2"	.45#	✓	✓	✓

CFR Panel

Gutter




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER LINEAR FOOT		
PART #	DIM "A"	DIM "B"	DIM "C"	ROOF THICKNESS	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3420	3 1/2"	6 1/16"	5 11/16"	2" - 3"	1/2 - 2:12	1.83#	✓	✓	✓
F-3420	3 1/2"	6 1/4"	5 1/2"	2" - 3"	3 - 4:12	1.83#	✓	✓	✓
F-3421	5 1/2"	8 1/16"	5 11/16"	4" - 5"	1/2 - 2:12	2.16#	✓	✓	✓
F-3421	5 1/2"	8 3/8"	5 3/8"	4" - 5"	3 - 4:12	2.16#	✓	✓	✓
F-3422	6 1/2"	9 1/16"	5 11/16"	6"	1/2 - 2:12	2.32#	✓	✓	✓
F-3422	6 1/2"	9 3/8"	5 3/8"	6"	3 - 4:12	2.32#	✓	✓	✓

Gutter End Cap




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Use F-3427 with F-3420 Gutter
- Use F-3428 with F-3421 Gutter
- Use F-3427 with F-3422 Gutter

DESCRIPTION		PRICED PER LINEAR FOOT		
PART #	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3427	.41#	✓	✓	✓
F-3428	.75#	✓	✓	✓
F-3429	.81#	✓	✓	✓

Gutter Strap




Note:

- 18 gauge material
- Use with F-3420, F-3421 or F-3422 Gutter

DESCRIPTION				PRICED PER LINEAR FOOT	
PART #	GIRTH	LENGTH	WEIGHT EACH	GALVALUME	PAINTED
FL-246	2 1/4"	10"	.30#	✓	✓

CFR Panel

Low Eave Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION							PRICED PER LINEAR FOOT		
PART #	DIM "A"	DIM "B"	GIRTH	ROOF THICKNESS	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3415	4 1/8"	1 1/4"	1 19/16"	2" - 3"	1/2 - 2:12	.94#	✓	✓	✓
F-3415	4 3/8"	1"	1 19/16"	2" - 3"	3 - 4:12	.94#	✓	✓	✓
F-3416	6 3/16"	1 3/16"	1 39/16"	4" - 5"	1/2 - 2:12	1.10#	✓	✓	✓
F-3416	6 1/2"	7/8"	1 39/16"	4" - 5"	3 - 4:12	1.10#	✓	✓	✓
F-3417	7 3/16"	1 3/16"	1 49/16"	6"	1/2 - 2:12	1.19#	✓	✓	✓
F-3417	7 1/2"	7/8"	1 49/16"	6"	3 - 4:12	1.19#	✓	✓	✓

Interior Transition Trim



Note:

- All trim is embossed as standard- Specify Stucco Embossed or Aztec Embossed - Aztec Embossed is used with Sanfa Fe® Panels only
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION					PRICED PER LINEAR FOOT		
PART #	DIM "A"	ROOF THICKNESS	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3412	9"	2", 2 1/2" and 3"	14"	.91#	✓	✓	✓
F-3413	12"	4", 5" and 6"	17"	1.10#	✓	✓	✓

Interior Ridge Trim




Note:

- Trim is embossed as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION			PRICED PER LINEAR FOOT		
PART #	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3450	27"	2.20#	✓	✓	✓

CFR Panel

Exterior Ridge/Hip Trim




Note:

- Specify trim as smooth or embossed - 24 gauge material
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION			PRICED PER LINEAR FOOT		
PART #	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3771	16 3/8"	1.33#	✓	✓	✓

Valley Trim




Note:

- Trim is smooth as standard
- Trim available in 8'-0", 10'-0", 12'-0", 14'-0", 16'-0" and 20'-0" lengths.

DESCRIPTION			PRICED PER LINEAR FOOT		
PART #	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-3502	27"	2.20#	✓	✓	✓

Horizontal Wall Extrusions

Coupler




Note:

- Mill finish aluminum material
- Used to align multiple pieces of base, head and stack joint extrusions

DESCRIPTION			PRICED PER EACH
PART #	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9495	4"	.05#	✓

Splice Cap




Note:

- Used at splices of base, head and stack joint extrusions
- Splice cap is unpainted and can be painted with touch-up paint when required.

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9497	1 ¹⁵ / ₃₂ "	2"	6"	.25#	✓
9500	1 ³¹ / ₃₂ "	2 1/2"	6"	.30#	✓
9501	2 ¹⁵ / ₃₂ "	3"	6"	.35#	✓

Sill Extrusion




Note:

- One wiper gasket required
- Paint set up charges required
- Minimum order required

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9413	2 ⁵ / ₁₆ "	2", 2 1/2" and 3"	20'-0"	13.54#	✓
9412	4 ⁵ / ₁₆ "	4"	20'-0"	13.90#	✓

Horizontal Wall Extrusions

Base/Head Extrusion




Note:

- One wiper gasket required
- Paint set up charges required
- Minimum order required

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9405	2 ³ / ₈ "	2"	20'-0"	13.26#	✓
9406	2 ⁷ / ₈ "	2 ¹ / ₂ "	20'-0"	14.20#	✓
9407	3 ³ / ₈ "	3"	20'-0"	15.14#	✓
9404	4 ³ / ₈ "	4"	20'-0"	16.28#	✓

Stack Joint Extrusion




Note:

- Two wiper gaskets required
- Paint set up charges required
- Minimum order required

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9455	2 ³ / ₈ "	2"	20'-0"	16.56#	✓
9456	2 ⁷ / ₈ "	2 ¹ / ₂ "	20'-0"	17.48#	✓
9458	3 ³ / ₈ "	3"	20'-0"	18.42#	✓
9459	4 ³ / ₈ "	4"	20'-0"	19.26#	✓

Jamb Extrusion - Male




Note:

- One wiper gasket required
- Paint set up charges required
- Minimum order required

DESCRIPTION				PRICED PER EACH
PART #	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9415	2", 2 ¹ / ₂ " and 3"	20'-0"	6.56#	✓

Horizontal Wall Extrusions

Jamb Extrusion - Female




Note

- Mill finish aluminum material

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9420	2 ¹ / ₁₆ "	2"	20'-0"	12.06#	✓
9421	2 ⁹ / ₁₆ "	2 ¹ / ₂ "	20'-0"	12.98#	✓
9422	3 ¹ / ₁₆ "	3"	20'-0"	13.92#	✓
9423	4 ¹ / ₁₆ "	4"	20'-0"	14.56#	✓

Vertical "H" Joint Extrusion - Male




Note:

- Two wiper gaskets required
- Paint set up charges required
- Minimum order required

DESCRIPTION						PRICED PER EACH
PART #	PANEL TYPE	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9445	Concealed Fastener	1 ¹ / ₂ "	2", 2 ¹ / ₂ " and 3"	20'-0"	9.78#	✓
9451	7.2	2"	2 ¹ / ₂ " and 3"	20'-0"	10.54#	✓

Vertical "H" Joint Extrusion - Female




Note

- Mill finish aluminum material

DESCRIPTION					PRICED PER EACH
PART #	PANEL TYPE	PANEL THICKNESS	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9450	Concealed Fastener	2" and 2 ¹ / ₂ "	20'-0"	12.72#	✓
9450	7.2	2 ¹ / ₂ "	20'-0"	12.72#	✓
9446	Concealed Fastener	3"	20'-0"	12.95#	✓
9446	7.2	3"	20'-0"	12.95#	✓

Horizontal Wall Extrusions


Outside Corner Extrusion - Male


Note:

- Two wiper gaskets required
- Paint set up charges required
- Minimum order required

DESCRIPTION				PRICED PER EACH
PART #	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9425	2", 2 1/2" and 3"	20'-0"	20.60#	✓
9429	4"	20'-0"	21.87#	✓

Outside Corner Extrusion - Female



Note

- Mill finish aluminum material

DESCRIPTION				PRICED PER EACH
PART #	PANEL THICKNESS	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9430	2"	20'-0"	19.30#	✓
9431	2 1/2"	20'-0"	20.24#	✓
9432	3"	20'-0"	21.16#	✓
9433	4"	20'-0"	23.03#	✓

Horizontal Wall Extrusions


Inside Corner Extrusion - Male


Note

- Mill finish aluminum material

DESCRIPTION				PRICED PER EACH
PART #	PANEL THICKNESS	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9435	2"	20'-0"	20.06#	✓


Inside Corner Extrusion - Female


Note:

- Two wiper gaskets required
- Paint set up charges required
- Minimum order required

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	PAINTED PRICE
9440	2 ¹¹ / ₁₆ "	2"	20'-0"	19.84#	✓

Module Clip Extrusion


Note

- Mill finish aluminum material

DESCRIPTION					PRICED PER EACH
PART #	DIM "A"	PANEL THICKNESS	LENGTH	WEIGHT EACH	MILL FINISH ALUMINUM PRICE
9471	1 ⁵ / ₈ "	2"	20'-0"	9.10#	✓
9472	2 ¹ / ₈ "	2 ¹ / ₂ "	20'-0"	10.04#	✓
9473	2 ⁵ / ₈ "	3"	20'-0"	10.96#	✓
9474	3 ⁵ / ₈ "	4"	20'-0"	12.84#	✓



www.mbc.com

Contact Us:

Houston, TX: 281.407.6915
Adel, GA: 888.514.6062
Atlanta, GA: 678.337.1619
Atwater, CA: 209.445.3891
Ennis, TX: 469.256.8255

Indianapolis, IN: 317.364.4329
Lubbock, TN: 806.224.2724
Memphis, TN: 662.298.2337
Oklahoma City, OK: 405.492.6968
Phoenix, AZ: 480.630.3022

Rome, NY: 315.371.4330
Salt Lake City, UT: 385.715.2952
San Antonio, TX: 210.888.9768

©Copyright NCI Group, Inc. 2017 All rights reserved.

MBCI'S insulated metal panel product line is manufactured by Metl-Span®.